

96.10.16

UNIBAC 4.5%

CLEANER DISINFECTANT SANITIZER FUNGICIDE VIRUCIDE
FOR USES IN FOOD PLANT - HOSPITAL AND PUBLIC AREA
INDUSTRIAL USE ONLY

GUARANTEE:

N-alkyl (5% C12, 60% C14, 30% C16, 5% C18);
dimethyl benzyl ammonium chlorides 2.25%
N-alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides 2.25%

REGISTRATION NUMBER 24541

PEST CONTROL PRODUCTS ACT

DIN01924508

CAUTION CORROSIVE

LOT NO.

READ THE LABEL BEFORE USING

Made by:

PRODUITS SANITAIRES UNIQUE INC.
1402, 4e Avenue, C.P. 355,
La Pocatière, Québec
G0R 1Z0
Tél: (418) 856-2543

3,6 L 10 L 205 L

UNIBAC 4.5

Description: UNIBAC 4.5 is a heavy duty cleaner and disinfectant designed for general purpose use where heavy duty cleaning and sanitizing is of prime importance. When used as directed UNIBAC

4.5 will remove most dirt in a single application.

Use Directions: For light duty cleaning, sanitizing and deodorizing of hard non porous surfaces use 5 mL/litre of water. For heavy duty cleaning and disinfectant of hard non porous surfaces, use 16 mL/litre of water. Let stand 10 minutes. Avoid contact with food. When disinfecting surfaces coming in direct contact with food, rinse thoroughly in potable water.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

PRECAUTIONS: Corrosive liquid. May cause severe eye irritation. May cause skin irritation. May absorb through skin to cause adverse health effect. Harmful if inhaled above threshold limit. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing vapours. KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. INHALATION: If inhaled, remove victim to fresh air. INGESTION: If swallowed, DO NOT induce vomiting. GET MEDICAL ATTENTION IMMEDIATELY. DRINK 3 TO 4 GLASSES MILK OR WATER. AVOID ALCOHOL.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))