

90.11.30

COMMERCIAL

SURGE

FLYS-OFF (R)

Dairy Aerosol Insecticide

WITH DUAL SYNERGISTS

40424

FOR MILK HOUSE and ANIMALS

KILLS HOUSE FLIES, HORN FLIES, STABLE FLIES, GNATS,
COCKROACHES, SPIDERS, SILVER FISH AND WASPS

GUARANTEE: Pyrethrins 0.5%
Technical Piperonyl Butoxide 1.0%
N-octyl bicycloheptene dicarboximide 1.0%

CAUTION
EXPLOSIVE

REGISTRATION NO. 14207
PEST CONTROL PRODUCTS ACT

Precaution: Keep out of reach of children.

READ THE LABEL BEFORE USING

Whitmire Research Laboratories, Inc.
3568 Tree Court Industrial Blvd. St. Louis, Mo. 63122

0.90 kg Net Weight

Flys-Off Dairy Aerosol Insecticide

Directions

BARN USE - Walk behind animals and direct fog over backs allowing approximately 1 second (1 gram) per animal. For effective results, spray may be applied each morning.

ANIMAL USE - From approximately 1/2 meter distance, thoroughly fog entire animal as it is being released to pasture. Spot treat

withers, shoulders, and back where saliva accumulates from head tossing. Spray to wet ends of the hair only. Do not completely wet the hair or skin. Do not treat udders. Wash udders thoroughly before milking. Protect animal's eyes when spraying. Do not contaminate feed or water troughs. Do not spray over milk or milking equipment.

MILKING PARLOR AND MILK ROOM - Close all windows and door. Fog at the rate of 4 to 11 seconds per 100 cubic meters (4-11 g/100 m³). If rooms cannot be closed tight, dosage may be increased slightly. Stand in the middle of room. Direct fog upward and fog in all directions. Keep room closed for 15 minutes. Remove all animals from barn before using as a space spray. Ventilate treated areas for at least 30 minutes before animal re-entry. Spray only when temperature is below 32 deg Celsius.

PRECAUTION

Remove animals from treatment area before using as a space spray. Do not spray over milk or milking equipment. Cover or remove all milk and milking implements before spraying.

Avoid contact with skin, eyes, clothing. Wash thoroughly after using.

Contains concentrated insecticides under pressure; do not expose to temperatures above 55 deg Celsius. Discard empty cylinder in safe place. Do not burn.

FIRST AID: For skin contact, wash skin with soap and water. For eye contact, flush eyes with water for at least 15 minutes. Get medical attention if irritation persists. For inhalation, treatment is symptomatic. Antihistamines are of value.

NOTICE TO USER: This control product is to be used only in accordance with directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

SURGE

BABSON BROS. COMPANY, (CANADA) LTD.
563 The Queensway F, Mississauga, Ontario

PART NO. 40424

Printed in U.S.A.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))