

92.08.06

SANEX

VAPO 66
INSECTICIDE

CONCENTRATE

COMMERCIAL-AGRICULTURAL

DANGER POISON

READ THE LABEL BEFORE USING

GUARANTEE:
DICHLORVOS 660 GRAMS PER LITRE

REGISTRATION NO. 14864 PEST
CONTROL PRODUCTS ACT

NET CONTENTS: _____

Manufactured by:
Sanex Inc.

IMPORTANT: SANEX VAPO-66 INSECTICIDE CONCENTRATE is especially formulated for use only in ULV cold aerosol generators in mushroom houses and Tobacco Warehouses. Vapo-66 will not cause injury to mushrooms when used as directed. Contact a Sanex Technical Representative for training in equipment operation and proper chemical application to insure a safer and more efficient program.

DIRECTIONS: TOBACCO WAREHOUSE - Fog with ULV cold generator at the rate of 5.0 to 9.0 mL per 100 cubic meters to contact cigarette beetle and tobacco moth. Close area, lock or barricade entrances, and post warning signs. Turn off pilot lights. Direct fog into the building while the operator remains outside. Ventilate thoroughly before re-entering the following day. Repeat as necessary, usually twice per week.

MUSHROOM HOUSES - Fog with a ULV cold aerosol generator at the rate of 1.3 mL per 100 cubic meters to control phorid flies and sciarid flies. Apply at a house temperature of above 21 deg Celsius. Close windows, doors and ventilators. Expose for 1

hour. Ventilate with fans before resuming work. Use twice weekly during spawn run; thereafter use as required. Do not apply to mushrooms within 1 day of harvest.

NOTE: After treatment, flush all equipment with SANEX ULV CLEANOUT FLUID to prolong life of parts contacting insecticides.

PRECAUTIONS: Do not get on skin or eyes. Do not breathe fumes. Wear natural rubber gloves and protective clothing when handling.

Wear a mask or respirator offering protection against dichlorvos insecticide. KEEP OUT OF REACH OF CHILDREN. Keep in original container. Do not store near nor contaminate feed or foodstuffs.

Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes. Keep product away from flame or heat. Do not use in milk rooms or milk processing rooms.

FIRST AID: IN CASE OF POISONING, CALL A PHYSICIAN IMMEDIATELY. In case of skin contact, remove contaminated clothing and wash skin immediately with soap and water. Wash all contaminated clothing before re-use. In case of eye contact, flush eyes with running water for 15 minutes. If person has swallowed the material, due to aspiration hazard, DO NOT induce vomiting. Keep victim still and quiet. Give artificial respiration if victim is not breathing. Call a doctor immediately.

TOXICOLOGY: Treat as for cholinesterase poisoning. Symptoms of poisoning include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. If there are signs of parasympathetic stimulations, atropine sulphate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient for 48 hours. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by blood test.

DISPOSAL: Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATIONS OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

SANEX INC.
5100-A TIMBERLEA BLVD.,
MISSISSAUGA, ONTARIO L4W 2S5

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))