

2000/2005

MGK®

McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue N./ Minneapolis, Minnesota

55427-4372 U.S.A.

TELEPHONE (763) 544-0341

PYROCIDE® Booster Concentrate H, Emulsifiable

COMMERCIAL

For Use in the Home, and Non-Food and Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Motels, Schools, Theatres, Kennels.

REGISTRATION NO. 20900

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

GUARANTEE:

Pyrethrins	1.20%
* Piperonyl butoxide, Technical	12.00%
* Equivalent to 9.60% (butylcarbityl) (6-propylpiperonyl) ether and 2.40% related compounds	
** MGK®, 246 Insecticide Synergist	

KEEP OUT OF REACH OF CHILDREN

CAUTION

POISON

Net Weight _____

Manufactured by:

McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

U.S.A.

(763) 544-0341

Effective as a surface spray against exposed stages of confused flour beetles, grain weevils, cadelles, and many other insects infesting grain and food storage plants.

PRECAUTIONS: Harmful if swallowed. Cover or remove food and feedstuffs during spraying. In food processing plants do not spray while processing is underway. After spraying in food processing plants, etc., wash with potable water all equipment, benches, shelving and surfaces where exposed food will be handled.

Remove all pets and birds and cover fish aquariums before spraying.

This product is toxic to fish and other aquatic animals. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Wash contaminated clothing with warm water and soap before reuse. If swallowed do not induce vomiting because of aspiration hazard. Contains petroleum distillate. Call a physician immediately.

DISPOSAL & DECONTAMINATION: Rinse empty container and add rinsings to the formulation tank, if possible. Follow provincial instructions for any required additional cleaning to the container prior to reuse or disposal. If required, make the container unsuitable for further use and dispose of in accordance with provincial requirements. For information on the disposal of unused, unwanted product and clean up of spills, contact the Provincial Regulatory Agency or the Manufacturer.

STORAGE: Keep container closed. Mix well in drum before sampling and each use. Store in a cool, dry place. Do not store, pour or spill near heat or open flame.

DIRECTIONS FOR USE

Dilute with water. Add some water to the sprayer tank first, then add PYROCID® Booster Concentrate H, Emulsifiable, make up to volume with water and agitate the emulsion vigorously

until a complete emulsion is obtained. Spray the water emulsion as directed below in grain storage bins, elevator boots, mill walls and floors, etc., paying special attention to cracks, crevices and other insect hiding places.

For making a heavy deposit, dilute 4.4L(one gallon) of PYROCIDE® Booster Concentrate H, Emulsifiable with 17.6L (four gallons) of water. The resulting water emulsion should be used fresh the same day, and should not be allowed to stand overnight or longer.

To obtain a deposit of about 75 mg. of piperonyl butoxide per 0.3 sq. meters use 3.8 liters of the water emulsion per 305 sq. meters of surface. To obtain a deposit of about 100 mg. of piperonyl butoxide per 0.3 sq. meters use 5.07 liters of the water emulsion per 305 sq. meters.

If more frequent applications are to be made, for example, once every two weeks, dilute one plus nine. If daily applications are to be used for contact spraying a more dilute emulsion may be used.

Alkaline surfaces such as cement, mortar or calcimined wood or metal may require more frequent applications than neutral surfaces.

NOTICE TO USER: This Control Product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))