

07-FEB-2005

25-FEB-2008 Notification - Change in Registrant Name

**WILSON
TRI-KIL®
TURF HERBICIDE
3-Way Weed Killer**

For control of hard-to-kill weed species
in turf (parks, lawns, golf courses, etc.)

COMMERCIAL

REGISTRATION NO. 19400 PEST CONTROL PRODUCTS ACT

GUARANTEE:

2,4-D (isomer specific)	190 g/L
Mecoprop (d-isomer)	100 g/L
Dicamba	18 g/L
(all present as amines)	

CAUTION – POISON

READ THE LABEL BEFORE USING

NET CONTENTS: 4 L (10 L)

Notification Change

~~Nu-Gro PR Inc.,~~
10 Craig St.,
Brantford, ON
Canada N3R 7J1

Agrium Advanced Technologies RP Inc.

DIRECTIONS: Weeds Controlled: Annual and perennial broadleaf weeds such as Bedstraw, Black medick (yellow clover), Buttercup, Chickweed, Clover, Dandelion, English daisy, Ground ivy (creeping Charlie), Heal-all, Knotweed, Orange hawkweed (devil's paint brush), Narrow-leaved plantain, Poison ivy, Ragweed, Shepherd's purse, Wild white clover.

DO NOT APPLY BY AIR

Turf:(other than bent grass) Apply TRI-KIL® TURF HERBICIDE at the rate of 5.5 L per hectare in sufficient water for adequate coverage (60 mL on 100 m²). Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods, unless adequate irrigation is available. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the third mowing. Grass seed can be safely sown 1-2 weeks after application at recommended rate.

Bent grass turf: In closely mowed bent grass (putting and bowling greens, etc.): Apply TRI-KIL® TURF HERBICIDE at a maximum of 30 mL per 100 m² preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bent grasses. Large volumes of spray water (i.e. 30 mL in 20 L of water per 100 m²) will aid in obtaining uniform coverage. If hand type sprayers are used it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local over application and subsequent turf discoloration or injury.

MAXIMUM APPLICATION FREQUENCY: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

Transfer System: Container larger than 20 litres: Use a transfer system that avoids open pouring when transferring the liquid concentrate from such containers into the spray tank.

Re-entry Interval: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Protective Clothing and Equipment: Handling the concentrate (mixing and loading): Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from containers greater than 5 L.

Handling the dilute spray solution (during application or repairing or cleaning equipment): Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during application when applicator is in an enclosed tractor.

Operator Use Precautions:

- Wear freshly laundered clothing and clean protective equipment daily.
- Rinse gloves before removal.
- Wash hands before eating, drinking, using tobacco or using the toilet.
- If herbicide penetrates clothing remove immediately, then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.
- After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and equipment. If no such instructions for washables are provided use detergent and hot water.
- Keep and wash personal protective equipment separate from household laundry. After work, remove all clothing and shower using soap and water.

Keep in original container during storage. Do not allow spray, spray mist, visible or invisible vapours or air containing mist or vapours to contact plants other than those being sprayed. If 2,4-D susceptible plants are growing within a distance of 400 metres from the area being sprayed, spray only when there is a light breeze away from the susceptible plants. Spray drifting can be reduced by using high volumes of water sprayed under low pressure, using coarse spray nozzles. Susceptible crops include beans, cabbage, cauliflower, grapes, sugar beets, sunflowers, tobacco, tomatoes, turnips as well as many other field, vegetable, ornamental and fruit crops. Do not contaminate any body of water, or watercourse, water used for livestock or for domestic purposes. Do not store open container near food, feedstuffs, seeds, fertilizers or pesticides including insecticides, fungicides and herbicides other than those containing 2,4-D or brush killers. Sprayers which have contained TRI-KIL[®] should not be used to apply other pesticides to 2,4-D susceptible crops.

FIRST AID: If on skin, wash with soap and water. **If in eyes**, flush with clean water for 15 minutes. **If irritation develops**, consult a physician. **If swallowed**, drink 1-2 glasses of water to dilute the product. **DO NOT** induce vomiting. Call a doctor or Poison Control Centre immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: May cause eye irritation on contact.

DISPOSAL: Triple- or pressure-rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

IN CASE OF SPILLS, POISONING OR FIRE, TELEPHONE EMERGENCY RESPONSE NUMBER 1-(905)-572-5678 (CALL COLLECT) - (24 HOURS A DAY)

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.