

04-JUN-2002

WILSON
PROFESSIONAL PRODUCTS
EARWIG, ANT & GRUB KILLER
GRANULAR INSECTICIDE

Controls insect pests in lawns, gardens and around the home.

DOMESTIC
REG. NO. 20007 P.C.P. ACT
GUARANTEE: Diazinon 5%



READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: **2 kg**

NU-GRO IP INC.
10 Craig Street
Brantford, ON
Canada N3R 7J1

REV1-0901

DIRECTIONS FOR USE:

Lawns: SPOT APPLICATION ONLY

Application can be made by hand with a shaker can.

For control of Earwigs – Apply 20 g per m² in areas of infestation only.

Lawn Moths (Sod Webworm), Pillbugs, Sowbugs and Springtails (Collembola) – Apply 7.5 to 15 g per m² in areas of infestation only.

Chinch Bugs – Apply 20 g per m² in areas of infestation only. Water lightly before and after treatment.

Ants: Spot treatment in lawns, gardens, patios, driveways, etc.: Ant hills – Apply 3 grams (5 mL spoonful) of granules over and around each individual ant hill. Digger Wasps – Apply 3 grams over and around each individual ground nest opening. Make application about dusk, when the wasps are not active.

Lawns: BROADCAST APPLICATION

White grub suppression (such as European Chafer and Japanese Beetle larvae): When sampling indicates that white grub larvae are feeding in the root zone apply 900 g per 100 m² of lawn. Do not use in areas where the thatch is more than 3 cm thick. For grub control apply any time between late July and early October.

Application can be made by using a fertilizer spreader. Following application, brush the lawn to ensure penetration of the granules on the soil surface. Thoroughly water the product into the lawn after application. Repeat application as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Avoid contact with skin and inhalation of dust. Wash thoroughly after handling. Avoid contamination of food or feed. Use only as recommended on label. When applying to lawns wear a long-sleeved shirt, long pants, shoes and socks and chemical resistant (e.g. rubber) gloves during handling, application and watering-in. Rinse gloves before removal. Do not treat areas greater than 450 m² (5000 sq.ft.) in one day. Keep people off treated lawns for 24 hours following application and watering in.

FIRST AID: If on skin, wash with soap and water. **If in eyes,** rinse with water for 15 minutes. If irritation develops, consult a physician. **If swallowed,** induce vomiting by giving 1-2 glasses of water and touching the back of the throat with a finger or a blunt object. Call a doctor or Poison Control Centre immediately. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Diazinon is a cholinesterase inhibitor. Note to physician: Stomach lavage. Antidote: atropine sulphate at 1-2 mg. every 15 minutes may be necessary.

DISPOSAL: Do not reuse container. Wrap empty container and discard with household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))

