

91.02.12

NETTOYEUR-DESINFECTANT-DEODORANT-FONGICIDE-VIRUCIDE

MARI-QUAD II

CLEANER-DISINFECTANT-DEODORIZER-FUNGICIDE-VIRUCIDE

(HOSPITAL SANITIZER) (ASSAINISSEUR D'HOPITAUX)

GUARANTEE / GARANTIE

Octyl Decyl Dimethyl Ammonium chloride	0.469%
Dioctyl Dimethyl Ammonium chloride	0.234%
Didecyl Dimethyl Ammonium chloride	0.234%
Alkyl (C12, 40%; C14, 50%; C16, 10%),	
Dimethyl Benzyl Ammonium chloride	0.625%

COMMERCIAL / COMMERCIALE

READ LABEL BEFORE USING  
LIRE L'ETIQUETTE AVANT USAGE

REGISTRATION NO. 19960.10  
PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 19960.10  
LOI SUR LES PRODUITS ANTIPARASITAIRES

CAUTION ATTENTION  
CORROSIVE CORROSIF

LOT NO.

4.55 L

22.7 L

MARITIME CHEMICALS & EQUIPMENT LTD.  
10 Akerley Blvd Suite 18,  
Dartmouth, N.S.  
B3B 1J4  
Tel. (902) 466-2135

## USE DIRECTIONS

A proven "one-step" cleaner - disinfectant - sanitizer - fungicide - mildewstat - virucide in the presence of moderate amounts of organic soil.

Apply to walls, floors and other hard, non-porous surfaces such as tables, chairs, countertops, sinks and bedframes, with a cloth, mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty.

**HOSPITAL SANITIZER:** Use 1:83 or 12 mL per Litre of water. Effective against a broad spectrum of gram negative and gram positive organisms as presented by: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Serratia marcescens*, *Klebsiella pneumoniae*, *Enterobacter aerogenes*, *Salmonella schottmuelleri*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Brevibacterium ammoniagenes*.

**DISINFECTION:** To disinfect hard, non-porous surfaces, treated surfaces must remain wet for 10 minutes.

**FOR SCHOOLS, NON-MEDICAL INDUSTRIAL AND INSTITUTIONAL USES:** Use 1:30 or 32 mL per Litre of water. Delivers excellent cleaning and germicidal effectiveness. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Escherichia coli*, and an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities etc.

**VIRUCIDAL PERFORMANCE:** Effective against the following viruses: Influenza A/Brazil, Herpes Simplex and Vaccinia, on inanimate environmental surfaces.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye damage or skin irritation. Do not get concentrate in eyes or on skin. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, GET MEDICAL ATTENTION. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. GET MEDICAL ATTENTION IMMEDIATELY.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))