

1997/2002

SWIM FREE(R)

BROAD SPECTRUM

BLACK ALGAECIDE

For Swimming Pools

CAUTION

POISON

DOMESTIC

REG. NO. 19414 P.C.P. ACT

GUARANTEE:

Poly (oxyethylene (dimethyliminio) ethylene
(dimethyliminio) ethylene dichloride) 60.0%

READ THE LABEL BEFORE USING

NET CONTENTS 960 mL

AQUA CLEAR INDUSTRIES INC.

P.O. Box 5430

Albany, N.Y.

12205 U.S.A.

DIRECTIONS FOR USE

1. Superchlorinate pool water at least 12 hours prior to using SWIM FREE BLACK ALGAECIDE.
2. Initial dosage for water having no visible algae growth, add 70 mL of SWIM FREE BLACK ALGAECIDE per 10,000 litres of pool water.
3. Weekly maintenance dosage is 20 mL per 10,000 litres.
4. For visible algae, superchlorinate and 12 hours later add

70 mL per 10,000 litres. Continue with weekly maintenance dosage.

5. For visible algae, when superchlorination is not employed, add 140 mL per 10,000 litres. Wait at least 24 hours and vacuum to remove dead algae.

PRECAUTIONS:

- . Keep out of reach of children.
- . Harmful if swallowed.
- . Do not mix with any other chemical.
- . Avoid contact with skin and eyes.
- . Rinse container thoroughly before discarding. Do not reuse.
- . To dispose of chemical, flush into sewer with large quantities of water.

FIRST AID:

In case of contact with skin or eyes, flush thoroughly with water for 15 minutes. If eye irritation persists get medical attention. If swallowed, promptly drink large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a Physician IMMEDIATELY.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))