STEP B

Hartz® Control Pet Care System® Ultimate Flea Collar™ For Cats - Safety Snap Buckle

DOMESTIC

Kills Adult Fleas
Kills Flea Eggs for 7 Months
Also Kills Adult Ticks

GUARANTEE:

Tetrachlorvinphos..... 14.55% (S)-Methoprene 1.02%

REG. NO. 25500 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN FOR USE ONLY ON CATS

Revolutionary Technology
Kills Flea Eggs
Safety Snap Buckle
Pulls Apart for Safety
- Reattachable -

NET CONTENTS: 17 g

[Made in U.S.A. for; HARTZ CANADA INC., St. Thomas, Ontario N5P 3W7

- Kills Adult Fleas and Ticks
- Contains vIGRen®, an Insect Growth Regulator, which Kills Flea Eggs Laid on Your Pet for 7 Months

The Hartz® Control Pet Care System® Ultimate Flea Collar™ will begin to kill fleas, ticks and flea eggs immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. The collar will continue to control fleas for 7 months by killing eggs laid on your pet. Under conditions where pets are exposed to severe flea or tick infestations, it may be necessary to replace the collar more frequently. Wetting will not impair the collars effectiveness or the pet's protection. If the pet goes swimming or is out in the rain, it is not necessary to remove the collar. The Hartz® Control Pet Care System® Ultimate Flea Collar™ may be worn with a regular collar. For use when fleas and ticks are a problem. If only ticks are problematic, a collar without an insect growth regulator should be used.

DIRECTIONS: Do NOT remove the collar from its package until ready to use. Remove the collar from the package, unroll and STRETCH to activate insecticidal ingredients. This releases the active ingredient at time of use and assures full activity. As the collar begins to work, a fine white powder will appear on the surface. Place the Hartz® Control Pet Care System® Ultimate Flea Collar™ around the cat's or kitten's neck, adjust to proper fit, allowing a spacing of 2 fingers between the collar and neck and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move around the neck. A properly fitted collar is one that, when fastened, will snugly slide over the cat's head. Leave 5 to 8 cm on the collar for extra adjustment. Cut off any access length, wrap and dispose of it in the garbage. Wash hands with soap and water after handling collar.

When collar is first worn, observe the pet's neck area every few days for irritation or adverse reaction. Do NOT use on cats under 12 weeks of age. Consult a veterinarian before using on sick, aged, pregnant, or nursing animals or animals receiving drug or other pesticide treatment. Do not use this product on cats at the same time or within 30 days before or after treatment with, or exposure to, cholinesterase-inhibiting drugs, pesticides, or chemicals. Any irritation usually indicates the collar has been affixed too tightly. If irritation occurs, loosen the collar. If irritation continues, remove the collar from the animal and consult your veterinarian. Replace this collar no more than once every 3 months. Replace collar every 7 months for continual pest control in situations where there is an ongoing risk of pest infestation. RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE

For effective flea and tick control, treatment of the pet must be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture, (discard vacuum bag after use) and wash the pets bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS:

<u>HUMANS</u>: KEEP OUT OF REACH OF CHILDREN. DO NOT ALLOW CHILDREN TO HANDLE THIS COLLAR. Do not unroll collar until ready to use. This collar is intended for use only as an insecticide/IGR generator cat collar. Dust will form on the collar during storage. Dust may irritate eyes, nose and throat. Harmful if collar is sucked or

chewed, or if dust is inhaled or absorbed through skin. Avoid contact with mouth, eyes, skin and clothing. Avoid breathing dust from collar. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

<u>Pets:</u> Dust may irritate eyes, nose and throat. Harmful if collar is chewed or swallowed. Avoid contact with the cat's mouth, face, eyes and genitals. Avoid letting the pet inhale the dust from the collar.

FIRST AID:

<u>HUMANS:</u> IF SUCKED OR CHEWED, obtain medical attention or call a poison control centre immediately. IF UNINTENTIONAL SKIN CONTACT OCCURS, wash affected areas with soap and water. IF DUST FROM COLLAR GETS IN EYES, flush eyes with plenty of water. If skin or eye irritation persists, obtain medical attention. IF DUST FROM COLLAR IS INHALED, seek medical attention.

<u>PETS:</u> Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. If swallowed or chewed, consult a veterinarian.

Take container, label, or product name and P.C.P. Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison control centre at once. Atropine is antidotal. Acute symptoms of over dosages in dogs and cats include diarrhea, salivation, vomiting, muscular tremors and weakness. Contact a veterinarian immediately.

STORAGE: Store in original, unopened container at room temperature, away from food.

DISPOSAL: Dispose of any excess collar, packaging and unwanted (used) collars in household garbage. Do not reuse empty pouch.

Unconditional Money-Back Guarantee

Hartz® and Control Pet Care System® are Registered Trademarks of the Hartz Mountain Corp.

vIGRen® is a Registered Trademark of Wellmark International.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.