(Allisan Fungicide Master Product label: Canada: English)

AllisanTM 75W **FUNGICIDE**

Contains Dicloran

GUARANTEE: Dicloran 75%

COMMERCIAL





POISON

READ THE LABEL BEFORE USING

REGISTRATION No. 24261 PEST CONTROL PRODUCTS ACT

FOR POST-HARVEST APPLICATION TO PEACHES AND SWEET CHERRIES.

Gowan Company P. O. Box 5569 370 S. Main Street Yuma, Arizona 85366-5569 U.S.A.

Net Contents:

DIRECTIONS FOR USE

CROP	DISEASE	DOSAGE
Peach	Post-Harvest Decay Monilinia (Brown Rot)	1.75 kg/1000 litres
	Rhizopus Rot	

Directions: For freezing and canning peaches immediately after picking. Spray or dip peaches in a suspension of Allisan 75W.

Spray: In order to obtain uniform coverage, use a fan-shaped nozzle at a pressure of 350 to 525 kPa while peaches are being conveyed. Do not rinse after treatment. Do not recirculate used spray suspension.

Dip: Immerse peaches for 10 - 15 seconds in a well-agitated suspension. Do not rinse after treatment. The dip tank should be drained and refilled with a new suspension after every two hours of continuous usage.

Sweet Cherry Postharvest Decay 1.75 kg/1000 litres Rhizopus Rot

Directions: Spray cherries, while sorting, with a suspension of Allisan 75W. Continuous agitation of the suspension is necessary for optimum results. Do not recirculate used spray suspension.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of the dust or spray mist. Do not contaminate ponds, lakes, streams or water used for domestic or irrigation purposes. Harmful if swallowed. Highly toxic to fish. Keep out of any body of water. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., contact 1-866-375-4648 or www.cropro.org/.

FIRST AID:

In case of skin contact, remove any contaminated clothing and wash the contaminated area with soap and water.

If in the eyes, flush with water for 15 minutes. Call a physician.

If swallowed, immediately give large amounts of water and induce vomiting by gagging the victim with a finger placed on the back of the victim's tongue. Give fluids until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Call a physician or Poison Control Centre. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat Symptomatically

DISPOSAL:

- 1. Triple or Pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.