

97.08.20

TRANSBAS

MCPA BUTOXYETHYL ESTER TECHNICAL HERBICIDE

FOR MANUFACTURING, FORMULATING,
OR REPACKAGING USE ONLY

GUARANTEE:

MCPA.....60.8%
(present as Butoxyethyl Ester)

REGISTRATION NO. 19297
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

WARNING POISON
DANGER - CORROSIVE TO EYES

NET CONTENT: BULK SHIPMENT
20,000 kg tank truck
40,000 kg railway tank car

TRANSBAS, INC.
P.O. Box 957
Billings, Montana
59103
At 1525 Lockwood Rd.
Billings, MT 59101
Phone No. 406-245-4171

UNITED AGRI PRODUCT CANADA, INC.
1212-31 Ave. N.E.
Calgary, Alberta
T2E 7S8
Phone No. 403-291-2830

DIRECTIONS FOR USE:

To be used only in the manufacture of a herbicide which is registered under the Pest Control Products Act. Read technical bulletin formulation details.

SAFETY PRECAUTIONS:

Keep out of the reach of children. Harmful if swallowed or

inhaled. Avoid contact with skin, eyes or clothing. Wear protective goggles and gloves when handling.

SYMPTOMS OF POISONING:

Irritation of the skin may occur following excessive contact with product. Protracted inhalation of spray may cause irritation to nose, eyes, and throat causing burning sensation and cough.

When ingested, material irritates the mouth and throat and usually causes enough gastrointestinal irritation to induce prompt vomiting. Absorption of large quantities may produce muscle twitching, tenderness and stiffness.

FIRST AID INSTRUCTIONS:

If on skin, remove contaminated clothing and wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes and get medical attention or contact a poison control centre. If swallowed do NOT induce vomiting, immediately move patient to nearest hospital, taking this label with you or contact a poison control centre.

TOXICOLOGICAL INFORMATION: NOTICE TO PHYSICIAN

There is no specific antidote. If material is ingested, empty stomach by intubation, aspiration and lavage with isotonic saline or sodium bicarbonate. Administer or instill 30 grams of activated charcoal in 100 mL of water to limit absorption or remaining material.

PROCEDURES FOR HANDLING SPILLS OR CONTAINER BREAKAGE.

Wear appropriate protective equipment to avoid contact with skin, eyes, nose and clothing during clean-up procedures. These include rubber or neoprene gloves and boots, impervious apron or suit, and respirator. After clean-up complete, individuals should shower well and dress in clean clothes. Launder well any garments which were used during clean-up.

For liquid spills, surround and cover the spill with absorbent material, such as sawdust, talc or clay, and allow to stand. After one hour collect with shovel and place into a container for disposal in accordance with municipal or provincial requirements. Do not contaminate water, food or feed by storage or disposal of containers or decontamination materials.

Canadian formulators of this technical should dispose of unwanted active and containers in accordance with municipal or provincial regulations. For additional details on disposal and clean-up of spills contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))