

14-AUG-1996

Plant Products
African Violet SPRAY
EMULSIFIABLE MITICIDE

Contains Dicofol
Controls Cyclamen Mites
on African Violets

DOMESTIC

Guarantee:
Dicofol 3.9%

REG. NO. 12132
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

250 mL

DANGER POISON

Plant Products Co. Ltd.
314 Orenda Rd.
Brampton, Ontario, Canada L6T 1G1

DIRECTIONS FOR USE: Apply AFRICAN VIOLET SPRAY to African Violets when cyclamen mites first appear and repeat application as necessary. Use at the rate of 25 ml of African Violet Spray to 5 Litres of tepid water.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep away from flame. Do not smoke while spraying. Avoid skin contact and inhalation of mist. Do not take internally. Avoid contamination of feed or foodstuffs.

FIRST AID INSTRUCTIONS: In case of contact on skin wash

thoroughly with soap and water. If swallowed, give 2 glasses of water. DO NOT induce vomiting, petroleum distillate present. Get prompt medical attention.

TOXICOLOGICAL INFORMATION: With mild symptoms small divided doses of phenobarital may be given orally to control irritability. If intoxication is severe, consideration might be given to the parenteral administration of barbiturates. Morphine and morphine derivatives are contraindicated. A gastric lavage should be performed.

DISPOSAL: Do not reuse empty container. Dispose of empty container with household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))