

85.12.31

WILSON'S  
LIQUID GARDEN SPRAY  
DOMESTIC  
ALL PURPOSE INSECTICIDE

REG. NO. 10639 P.C.P. ACT

GUARANTEE: Methoxychlor 10.0%  
Malathion 20.0%  
Dicofol 2.0%

DANGER POISON

KILLS INSECTS ON FLOWERS, SHRUBS, TREES, FRUITS AND VEGETABLES.

READ THE LABEL BEFORE USING

250 mL

WILSON LABORATORIES INC.  
DUNDAS, ONTARIO L9H 3H3

DIRECTIONS FOR USE:

Wilson's Garden Spray will control most insects in your garden such as: Aphids, Caterpillars, Beetles, Leafhoppers, Mealybugs, Mites, Scales (Crawler Stage), Leafminers, Leafrollers, Plant Bugs, Earwigs, Armyworms, Sawfly Larvae, Thrips (Exposed), White Flies.

Mix 15 mL (1 tablespoonful) in 2 litres of water and spray both sides of the foliage thoroughly when insects or their damage are first noticed. Repeat at weekly intervals or as necessary. Start spraying fruit trees soon after blossoming and repeat every 7-10 days until mid-August. Thinning of Apples may result when

applied within three weeks of blossom fall. This spray is very poisonous to bees, avoid spraying on blossoms.

FLOWERS AND ORNAMENTALS: This product may be applied on all flowering plants, shrubs, evergreens and trees (except Petunia, African Violets, Crassula, Conaerti and Sabina varieties of Juniper, Boston Ivy and Virginia Creeper.)

FRUITS AND VEGETABLES: Wilson's Garden Spray may be applied on ALL fruits and vegetables but not later than 7 days before harvest with the exception of beet tops, endive, leaf-lettuce, spinach and Swiss Chard, which requires a 14 day interval between the last application and harvest.

PRECAUTION:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe spray mist. Wash thoroughly after use and before eating and smoking. Wash contaminated clothing before reuse. Poisonous to bees, fish and wild-life. Avoid spraying blossoms and keep away from ponds and streams. Do not use inside buildings.

FIRST AID:

Danger, this product contains petroleum distillates. If swallowed, do not induce vomiting. Give patient air and move to hospital. If on skin wash thoroughly. If in eyes, flush with water for 15 minutes and get medical attention.

TOXICOLOGY:

Malathion is a cholinesterase inhibitor; Atropine and 2-Pam are antidotal.

DISPOSAL:

Dispose of empty bottle with regular garbage. Do not reuse empty container.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))