

96.06.26

ADDITIVE RY

A METALWORKING FLUID MICROBICIDE

INDUSTRIAL

GUARANTEE:

5-Chloro-2-methyl-4-isothiazolin-3-one.....10.5%
2-Methyl-4-isothiazolin-3-one.....3.5%

REGISTRATION NO. 24556
PEST CONTROL PRODUCTS ACT

DANGER

POISON CORROSIVE

READ THE LABEL BEFORE USING

NET CONTENTS 4.55 KG/10 LBS

Made in England for:
CINCINNATI MILACRON
Cincinnati Milacron - Canada Limited
P.O. Box 85114
Burlington, Ontario
L7R 4K3
Tel. (905) 319-1919
Fax (905) 319-1678

MANUFACTURED BY
ROHM AND HAAS COMPANY (U.K.) LTD.
JARROW, U.K.

PRECAUTIONS:
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE

CAUSES EYE DAMAGE AND SKIN BURNS

MAY CAUSE ALLERGIC SKIN REACTION

MAY BE HARMFUL IF INHALED

MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapour or mist. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waters. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

PROHIBITIONS

The product as supplied evolves gas (largely carbon dioxide) slowly. To prevent buildup of pressure the product is packaged in specially vented containers. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the products on that condition.

DIRECTIONS FOR USE:

Additive RY solution is recommended for soluble and emulsifiable type aqueous metalworking fluids, such as emulsified petroleum oils, end formulations containing alcoholic fatty acid, sulfonated red oil, or naphthalene sulphonate. These fluids are usually prepared by diluting the product concentrates 1:50 with water. For the maintenance of a nonfouled system, add 232 mL per 10,000 L of emulsion or 232 mL - 1.16 L every 8-12 weeks. For a noticeably fouled system use initial dosage range of 464 mL - 1.16 L followed by subsequent dosages depending upon the treatment level noted above. A higher dosage range and/or increased frequency of treatment may be required depending on rate of dilution of the preservative with makeup fluid, the nature of severity of contamination, level of control required, filtration effectiveness, system design, etc.

The preservative should be dispensed into the use-dilution of the metalworking fluid by a metering pump and uniformly dispersed throughout the system. Additive RY solution weighs 1.25 kg/Litre.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. Call a physician.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Skin burns and corrosion may be delayed for several hours.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))