31-MAY-2005 Notification received of a label change. See below for this change.

18-DEC-2007 Notification - Change in Registrant Address14-FEB-2008 Notification - Change in Registrant Name

WEEDEX DANDELION BAR CHEMICAL WEED KILLER WITH 2,4-D

1.13 kg COVERS APPROXIMATELY 930 m<sup>2</sup> 1.0 kg COVERS APPROXIMATELY 825 m<sup>2</sup> 0.85 kg COVERS APPROXIMATELY 700 m<sup>2</sup>

WHEN USED AS DIRECTED

CONTROLS DANDELIONS EFFICIENT AND NON-VOLATILE DOMESTIC

FOR THE CONTROL OF DANDELION AND OTHER BROADLEAF WEEDS

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

GUARANTEE: 2,4-D......14.55 % (Present as 2,4-D acid)

REG. No. 25249 PEST CONTROL PRODUCTS ACT

NET CONTENTS 0.85, 1.0, 1.13 KG

WEED-MASTER WESTERN INC. 8459-23 Ave N.E. Calgary, Alberta T1Y 769

Notification Change

Virterra Products Corporation R.R. # 7, Site 7 Box 16 Calgary AB T2P 2G7 Teragro Inc.

P.O. Box 137 Chestermere AB T1X 1K8

## **DIRECTIONS FOR USE:**

A weed killer containing 2,4-D for the control of a wide range of turf weeds including plantain, dandelions, legumes.

**DIRECTIONS FOR USE:** Remove bar from package and bag. Bend sides of tray away from bar and lift out bar. Allow bar to warm up to working temperatures before use. Tie ends of string provided through circular punchouts in cardboard divider. Drag bar slowly over the complete area to be treated. Walk slowly so the bar will not skip or shudder. Do two applications at right angles to each other. Grass may be treated right to the edge near flower beds or trees, but do not touch any bordering plants.

**WHEN TO USE:** For best results apply one to three days after mowing grass, and mow the lawn three to six days after first application. Use in 18° C to 27° C temperatures. Wind, rain and lawn watering will not affect the treatment. Apply during active growing season. Repeat application procedure after second mowing.

**WHAT TO LOOK FOR:** 2,4-D will kill the weeds and roots in about two weeks. Fast and twisted growth of the weeds should appear about one week after treatment. If new weeds germinate from drifting seeds, repeat application when new plants pass grass level.

## PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Protective Clothing: Wear long-sleeved shirt, long pants, socks, and shoes. Operator Use Precautions: Wash hands before eating, drinking, using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before reuse. Do not use on newly seeded lawns. Do not touch bar to flowers, shrubs, trees or other desirable plants. When mowing a treated lawn, do not blow grass cuttings onto flowers or other desirable plants. Avoid contact with skin or eyes. Do not store near fertilizers, seed or other pesticides.

## **TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**DISPOSAL:** Do not reuse empty container. Wrap in newspaper and dispose of empty container with household garbage.

**FIRST AID:** In case of skin contact, wash well with soap and water. If swallowed, **DO NOT** induce vomiting, get medical attention at once or contact a poison control centre. If in eyes, flush with water and get medical attention. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## Re-Entry Interval for Turf:

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas for 24 hours.

Maximum Application Frequency to Turf:

For good turf/lawn management, normally two applications per year per treatment site are adequate, realizing that two passes (at right angles) constitutes one application. Spot treatments are permitted as needed.

**NOTICE TO BUYER**: Seller's guarantee shall be limited to terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.