

99/2004

BUTCHERS(R)

BLUE SKIES

DISINFECTANT CLEANER

GUARANTEE:

n-Alkyl (5% C12, 60% C14, 30% C16, 5% C18) dimethyl benzyl
ammonium chlorides..... 1.25%
n-Alkyl (68% C12, 32% C14) dimethyl
ethyl benzyl ammonium chlorides..... 1.25%

REGISTRATION NO. 23271

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

CAUTION

SKIN IRRITANT

COMMERCIAL

DIN 01906070

POTENTIAL SKIN SENSITIZER

Lot#: (See Bottom of Container for Number)

Expiry Date: (See Bottom of Container for Number)

NET CONTENTS 3.785 LITRES

Manufactured for:
THE BUTCHER COMPANY
Marlborough, MA 01752 U.S.A.
P.O. Box 8039 London, Ontario, Canada N5G 2B0

Distributed by:
ARMSTRONG MANUFACTURING COMPANY.
Mississauga, Ontario L4Y 1Y7

BLUE SKIES Disinfectant Cleaner

A full fragrance cleaner and disinfectant for use in hospitals, nursing homes, schools, and other institutions. Won't dull high gloss floors as it cleans and disinfects. An effective disinfectant against: *Pseudomonas aeruginosa*, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella schottmuelleri*, *Salmonella choleraesuis*, *Brevibacterium ammoniagenes*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Enterobacter aerogenes*, Influenza virus type A2, Herpes simplex virus type 1, Herpes simplex virus type 2, Adeno virus type 2, Rhino virus type 39, Trichophyton mentagrophytes. Efficacy tests have demonstrated that the product is an effective bactericide, fungicide, and virucide in the presence of organic soil (represented by at least 5% blood serum), and in hard water up to 400 ppm (as CaCO₃), and for *Pseudomonas aeruginosa* up to 250 ppm hard water.

DIRECTIONS FOR USE

Disinfection: To clean and disinfect, mix 64 mL for 4 Litres of water. Wet surface thoroughly with clean mop, sponge, or cloth. Allow to remain wet for 10 minutes, and to air dry. For heavily soiled areas, a precleaning step is required. Prepare a fresh solution for each use.

Mildewstat: To control mold and mildew, mix 64mL for 4 litres of water. Wet all surfaces completely. Let air dry. Repeat application when mildew reappears.

Special Instructions for Cleaning and Decontaminating Against HIV-1 on Surfaces and Objects Soiled with Blood or Bodily Fluids: This product is effective against HIV-1 (Human Immunodeficiency Virus) in hard water up to 400 ppm (as CaCO₃), and in the presence of organic soil (10% blood serum).

Personal Protection: When handling items soiled with blood or bodily fluids, wear disposable latex gloves, gowns, masks, and eye coverings.

Cleaning procedure: Thoroughly clean blood or bodily fluids from surfaces before applying Blue Skies.

Contact Time: To kill HIV-1, apply Blue Skies at 64 mL for 4 litres of water and allow surface to remain wet for 1 minute. To kill other organisms listed on this label, allow surface to remain wet for 10 minutes.

Disposal of Infectious Materials: Blood and other bodily fluids should be disposed of according to provincial and federal regulations for infectious waste disposal.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DANGER-CORROSIVE TO EYES. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear safety goggles/face shield, rubber gloves and protective clothing when handling the concentrated product. Avoid contamination of food. When disinfecting surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not store in food processing or food storage areas.

CONTAINS: Surfactants, sequestrant, phosphate and dye.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product, and for clean-up of spills, contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IS #4.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))