

Dri-Kil*

Dust

**Kills Lice on
Cattle, Horses,
Hogs, Poultry
and Ticks (Keds)
on Sheep**

**GUARANTEE: ROTENONE 0.15%
 SULPHUR 10%**

**AGRICULTURAL
REGISTRATION NO. 10043
PEST CONTROL PRODUCTS ACT**

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Net Contents: 900 g, 4 kg

Schering-Plough Animal Health
Division of ~~Schering-Canada Inc.~~
~~Pointe-Claire, Québec H9R 1B4~~
1 888 306-0069

Distributed by Engage Animal Health, 848 Gordon St.
Guelph, Ontario N1G 1Y7

Schering-Plough Canada Inc.
16750, Route Transcadienne
Kirkland QC
H9H 4M7

Notification Change



DANGER

POISON

**EYE IRRITANT
POTENTIAL SKIN
SENSITIZER**

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Fatal or poisonous if swallowed. Harmful or fatal if absorbed through skin or inhaled. DO NOT inhale dust. Causes eye irritation. DO NOT get on skin or in eyes. Avoid contact with clothing. Potential skin sensitizer. For indoor uses, wear goggles or a face shield, a NIOSH approved respirator, chemical-resistant gloves, a hat, a long-sleeved shirt, long pants and rubber boots during application, clean-up and repair activities. Do not enter or allow workers to enter into treated areas until 24 hours after application. Ventilate well before reentry. For outdoor uses, wear long pants, a long sleeved shirt and chemical resistant gloves during application. Wash contaminated clothing separately from household clothing before reuse. Wash after handling and before eating, drinking or smoking. Do not contaminate food, feed utensils or water troughs. Toxic to fish. Toxic to hogs if swallowed.

DIRECTIONS FOR USING DRI-KIL THE ALL-WEATHER DRY INSECTICIDE FOR LIVESTOCK

DRI-KIL is a dry powder effective against certain insects common to farm livestock. It can be used for treating bedding and is effective when dusted into cracks and crevices of woodwork.

Hog Lice: During periods of the year when hogs are bedded down, mix DRI-KIL with the bedding at the rate of 1 kg per 1 sq. meter of floor space. After the hogs have quieted down for the night and are lying in the bedding, sprinkle DRI-KIL lightly over them. Repeat this procedure until the lice are effectively exterminated. When the hogs are not bedded apply DRI-KIL with a sifter can to their bodies. A small quantity in the hand can be quickly rubbed between the legs and on the stomachs of the hogs.

Cattle and Horse Lice: Dust DRI-KIL thoroughly over the animals with sifter can. Rub in to reach the skin. Repeat treatment in 2-3 weeks if necessary.

Sheep Keds (Ticks): Dust DRI-KIL into the fleece, part the wool with the fingers, and then thoroughly distribute the powder with the hands, making sure that the powder comes into direct contact with the skin. Repeat if necessary.

Poultry Lice: - Dust birds thoroughly, particularly around the vents, and work powder into the feathers. Mix DRI-KIL with the nest fill. Repeat if necessary.

DISPOSAL: 1. Thoroughly empty the contents of the container into the application device. 2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Have the product container or label with you when calling a poison control centre or doctor, or going for treatment.

TOXICOLOGICAL INFORMATION: May cause slight skin irritation, eye and respiratory irritation. May cause numbness of nose and throat. If ingested, may cause nausea and vomiting, tremors and numbness. Prolonged exposure as for Rotenone may cause liver and kidney damage. Treat symptomatically.

ENVIRONMENTAL HAZARDS: Do not apply directly to aquatic habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs, and wetlands) and estuarine/marine habitats. Do not contaminate water by cleaning equipment or disposing of wastes.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.

*Trademark

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.