DITCHLING

DIAZINON 50S

OIL CONCENTRATE INSECTICIDE

COMMERCIAL

GUARANTEE:.....DIAZINON 500 gms per liter

DANGER POISON

REGISTRATION NUMBER 12872
PEST CONTROL PRODUCTS ACT

CONTENTS LITERS

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DITCHLING CORPORATION LIMITED
PO BOX 395
Don Mills, Ontario
M3C 2S7

DIRECTIONS

Ditchling DIAZINON 50S is an oil concentrate which can be diluted with insecticide base oils.

For 0.5% solution dilute 10 mL DIAZINON 50S in 1 Liter insecticide diluent base oil. For 1% solution dilute 20 mL DIAZINON 50S in 1 Liter insecticide diluent base oil.

FLY CONTROL IN DAIRY BARNS AND OTHER FARM BUILDINGS

Apply a 0.5% spray concentration as an overall application to the ceilings and walls of dairy barns, livestock sheds, calf barns, hog barns, and other farm buildings, except poultry houses.

Spray thoroughly garbage dumps, corrals, and other places where Flies congregate. Repeat applications as Fly population warrants.

Residual Fly control of up to 8 weeks can be obtained by using 1% spray concentration. Applied to the point of runoff, one Liter of this spray should cover 7-15 square meters of area depending on the surface to be treated.

CONTROL OF HOUSEHOLD INSECTS (By Pest Control Operators only)

Ants, Cockroaches, Crickets, Earwigs, Silverfish in Buildings:

Remove or cover all food and utensils before treatment. Coarse spray or paint brush applications of Diazinon 0.5% should be made to infested places, such as baseboards, spaces around water pipes and tanks, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where insects hide. Treatments should be repeated as necessary. Where Cockroach infestations are heavy, it is suggested the first application should be made with Diazinon 1% followed by monthly treatment with Diazinon 0.5%.

Carpet Beetles in Non-Fabric Areas. Use Diazinon 0.5% and thoroughly spray infested areas around baseboards, cracks in the floor and walls, and localized areas of floors and floor coverings. Repeat the application as necessary.

Clover Mites in Buildings. Apply Diazinon 0.5% to window and door frames and sills, to baseboards, and the floor space adjacent to them. Pay particular attention to cracks and crevices. Apply as a coarse droplet spray or with a paint brush, wetting thoroughly the surfaces.

Brown Dog Ticks and Fleas in Buildings. Use Diazinon 0.5% and thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings; application should be repeated as infestations warrant and re-infestations occur. Fresh bedding should be placed in animal quarters following treatment. DO NOT TREAT ANIMALS WITH THIS FORMULATION. Vacate premises after treatment, ventilate and allow spray to dry before reoccupying.

NOTE:

The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits with which children could come into contact. Care should be taken to avoid spotting of wallpaper and fabrics. Do not contaminate food, food containers or cooking utensils.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Wear an approved respirator when handling large amounts. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Wash thoroughly after handling and before eating, drinking or smoking. Do not spray animals or humans. Remove all animals, fish, and birds before spraying, do not return them for at least 4 hours after treatment. Do not store near food or feed. Toxic to fish and wildlife. Highly toxic to Bees exposed to direct treatment or to residues on crops. Do not contaminate any body of water. Flammable Mixture. Do not use or store near heat or open flame.

FIRST AID

This product contains petroleum distillate. If swallowed, do not induce vomiting. Keep at rest. Call a Poison Control Center and get prompt medical attention. If on skin, wash thoroughly with soap and water. If in eyes, flush with running water for 10 minutes. If irritation persists, seek medical attention.

TOXICOLOGY:

Diazinon is a cholinesterase inhibitor. Atropine is antidotal. Use 1 or 2 mg every 15 to 30 minutes if necessary. Symptoms of poisoning include headaches, giddiness, blurred vision, nervousness, weakness, nausea, cramps, diarrhoea, discomfort in the chest, sweating, miosis, tearing, salivation, and other excessive respiratory tract secretion, vomiting, cyanosis, papilloedema, uncontrollable muscle twitches, convulsions, coma, loss of sphincter control, and loss of reflexes.

DISPOSAL:

Rinse the emptied container thoroughly and add the rinsings to the spray tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use and dispose in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control products Act to use a control product under unsafe

conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))