

Established Maximum Residue Limit

EMRL2009-11

Flucarbazone-sodium

(publié aussi en français)

5 June 2009

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6605C Ottawa, Ontario K1A 0K9 Internet: pmra_publications@hc-sc.gc.ca www.healthcanada.gc.ca/pmra Facsimile: 613-736-3758 Information Service: 1-800-267-6315 or 613-736-3799 pmra_infoserv@hc-sc.gc.ca



HC Pub: 8236

ISBN: 978-1-100-12650-0 (978-1-100-12651-7) Catalogue number: H113-29/2009-11E (H113-29/2009-11E-PDF)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2009

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has granted full registration to technical grade flucarbazone-sodium and the end-use products Everest 70 WDG Herbicide and Everest Solupak 70 DF for use on wheat. The specific use approved in Canada is detailed on the product labels of Everest 70 WDG Herbicide and Everest Solupak 70DF, *Pest Control Products Act* Registration Numbers 26447 and 26448, respectively.

A maximum residue limit (MRL) is already established for wheat but corresponding livestock MRLs were proposed in the consultation document published on 25 November 2008, Proposed Maximum Residue Limit PMRL2008-47, *Flucarbazone-sodium*. The PMRA received no comments in response to this consultation.

To comply with Canada's international trade obligations, consultation on the proposed MRLs was also conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada. No comments were received as a result of the World Trade Organization consultation.

The following MRLs are legally in effect as of the publication date of this document and are in addition to the MRL on wheat already established for flucarbazone-sodium.

| Common Name | Residue Definition | MRL (ppm) | Food Commodity |
|-------------------------|---|--------------|--|
| Flucarbazone- sodium | 4,5-dihydro-3-methoxy-4-methyl- 5-oxo- <i>N</i> -[[2-(trifluoromethoxy) phenyl]sulfonyl]-1 <i>H</i> -1,2,4-triazole- 1-carboxamide, sodium salt ¹ | 0.05 | Liver of cattle, goats, hogs, horses and sheep Eggs; meat and meat byproducts (except liver) of cattle, goats, hogs, horses and sheep; meat and meat byproducts of poultry |
| | | 0.0025 | Milk |

Established Maximum Residue Limits for Flucarbazone-Sodium

A complete list of all MRLs established in Canada can be found on the <u>Maximum Residue</u> <u>Limits for Pesticides</u> webpage in the Pesticides and Pest Management section of Health Canada's website.

¹ The residue definition for flucarbazone-sodiumis also revised to reflect parent only in accordance with the above table. The previous residue definition for wheat included a metabolite, 4,5-dihydro-3-methoxy-5-oxo-N-[[2-(trifluoromethoxy)phenyl] sulfonyl]-1*H*-1,2,4-triazole-1-carboxamide, sodium salt, which is not found in human food commodities and has therefore been removed from the residue definition.