

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Corn * (hybrid, silage, seed, sweet)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Corn * (hybrid, silage, seed, sweet) ,
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Soybeans
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Soybeans
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Dry common beans (Phaseolus vulgaris)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Dry common beans (Phaseolus vulgaris)
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Snap common beans (yellow and green)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Snap common beans (yellow and green)
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Lima Beans
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Lima Beans
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Potatoes
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Potatoes
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Sugar Beets and Red Beets
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Sugar Beets and Red Beets
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Transplanted tomatoes
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Transplanted tomatoes
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Rutabagas
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Rutabagas
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Sweet white lupins
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Sweet white lupins
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Carrots
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Carrots
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Peas (grown for processing)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Peas (grown for processing)
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Fruit trees (bearing and non-bearing)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Fruit trees (bearing and non-bearing)
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Strawberries (bearing and newly planted)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Strawberries (bearing and newly planted)
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Second-year or older poplar stoolbeds
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Second-year or older poplar stoolbeds
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	2nd year or older transplant or seedling stock: White Spruce, Norway Spruce, Black Spruce, White Pine, Jack Pine and Red Pine,
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	2nd year or older transplant or seedling stock: White Spruce, Norway Spruce, Black Spruce, White Pine, Jack Pine and Red Pine
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Transplanted broccoli, cabbage, cauliflower and mustard greens
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Transplanted broccoli, cabbage, cauliflower and mustard greens
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Highbush blueberries (new and established plantings)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Highbush blueberries (new and established plantings)
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Field peppers
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Field peppers
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Outdoor Ornamentals (Woody and Herbaceous)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Outdoor Ornamentals (Woody and Herbaceous)
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Asparagus (established beds)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Asparagus (established beds)
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Established conifers for field production
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Established conifers for field production
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Sweet Potatoes
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Sweet Potatoes
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Pearl millet (animal feed only)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Pearl millet (animal feed only)
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Peanut
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Peanut
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Pumpkin and Winter squash
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Pumpkin and Winter squash
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Eggplant (transplants only)
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Eggplant (transplants only)
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Asian radish
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Asian radish
		Pests	Old Witchgrass, Yellow Nutsedge
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	

## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Crop Group 9 – Cucurbit Vegetables
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Crop Group 9 – Cucurbit Vegetables
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Celery
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Celery
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Parsnip
		Pests	American Nightshade, Eastern Black Nightshade, Crabgrass (smooth, hairy), Barnyard Grass, Redroot Pigweed <sup>3</sup> (suppression only), Fall Panicum, Foxtail (green, yellow, giant)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Parsnip
		Pests	Old Witchgrass, Yellow Nutsedge
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		Pests	
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		Pests	
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		<b>Pests</b>	