

# **Evaluation Report for Category B, Subcategory 3.11 Application**

Application Number:	2023-4377
Application:	New or Changes to Product Labels: New Pests
Product:	TreeAzin® Systemic Insecticide
<b>Registration Number:</b>	30559
Active ingredient (a.i.):	Azadirachtin (AZD)
PMRA Document Numbe	r: 3546263

#### Background

TreeAzin® Systemic Insecticide is a systemic insecticide solution formulated with 5% azadirachtin that is applied as an injection into the host tree. Treeazin® Systemic Insecticide is applied to several forest and ornamental trees to manage various insect pests. TreeAzin® Systemic Insecticide is applied at rates of 1 mL/cm DBH (diameter of the tree at breast height, 1.3 m) to 5 mL/cm DBH, dependent upon the target pest. For full details of the registered use pattern, refer to the product label.

#### **Purpose of Application**

The purpose of this application is to add uses for the management of *Agrilus* beetles, aphids, beech leaf mining weevil and browntail moth on various forest and ornamental trees to the label of TreeAzin® Systemic Insecticide.

#### Chemistry, Health, and Environmental Assessments

Chemistry, health, and environmental assessments were not required as there was no change to the product formulation and as there was no change to the use pattern, including application rates, methods and timings.

#### Value Assessment

Based on the results from all trials and scientific rationales, TreeAzin® Systemic Insecticide manages *Agrilus* beetles, aphids, beech leaf mining weevil, and browntail moth on forest and ornamental trees. The value information provided was sufficient to support the management of *Agrilus* beetles at the application rate of 5 mL/cm DBH, aphids and browntail moth at the application rate of 3 mL/cm DBH, and beech leaf mining weevil at the application rate of 3 mL/cm DBH for biennial applications. TreeAzin® would provide a new mode of action to manage *Agrilus* beetles, beech leaf mining weevil and browntail moth on forest and browntail moth on forest and 5 mL/cm DBH for biennial applications. TreeAzin® would provide a new mode of action to manage *Agrilus* beetles, beech leaf mining weevil and browntail moth on forest and ornamental trees.



## Conclusion

The Pest Management Regulatory Agency has completed an assessment of the information provided and has found the information acceptable to add the management of *Agrilus* beetles, aphids, beech leaf mining weevil and browntail moth on various forest and ornamental trees to the label of TreeAzin® Systemic Insecticide.

### References

3495092	2023, Value Summary, DACO 10.1
3495093	2023, Efficacy Trial Reports, DACO: 10.2.3.2
3495094	2023, Efficacy Trial Summaries, DACO: 10.1,10.2.3.2, 10.2.3.3
3495095	Bauer, L.S., R.A. Haack, D.L. Miller, T.R. Petrice, and H. Liu, 2003, Emerald
	Ash Borer Life Cycle, DACO: 10.2.3
3495096	Cappaert, D., D.G. McCullough, T.M. Poland and N.W. Siegert, 2005, Emerald
	Ash Borer in North America: A Research and Regulatory Challenge, DACO:
	10.2.3
3495097	Duan, J.J., J.M. Schmude, K.M. Larson, R.W. Fuester, J.R. Gould, and M.D.
	Ulyshen, 2019, Field parasitism and host specificity of O. primorskyensis, an egg
	parasitoid of EAB in the Russian Far East, DACO: 10.2.3
3495098	Elkinton, J.S., E. Preisser, G. Boettner, and D. Parry, 2008, Factors Influencing
	Larval Survival of the Invasive Browntail Moth in Relict North American
	Populations, DACO: 10.2.3
3495099	Haack, R.A., D.M. Benjamin, and B.A. Shue, 1981, Observation of the biology of
	Phasgoophora sulcata, a larval parasitoid of the TLCB in WI, DACO: 10.2.3
3495100	Haack, R.A., and D.M. Benjamin, 1982, The biology and ecology of the twolined
	chestnut borer, Agrilus bilineatus, on oaks, in Wisconsin, DACO: 10.2.3
3495101	McCullough, D.G., R.J. Mercader, and N.W. Siegert, 2015, Developing and
	integrating tactics to slow ash mortality caused by emerald ash borer, DACO:
	10.2.3
3495102	McKenzie, N., B. Helson, D. Thompson, G. Otis, J. McFarlane, T. Buscarini, and
	J. Meating, 2010, Azadirachtin: An effective systemic insecticide for control of
	Agrilus planipennis, DACO: 10.2.3
3495103	Morgan, E.D., 2009, Azadirachtin, a scientific gold mine, DACO: 10.2.3
3495104	Muilenburg, V.L., and D.A. Herms, 2012, A Review of Bronze Birch Borer -
	Life, History, Ecology, and Management, DACO: 10.2.3
3495105	OECD, 2018, Preparing Europe for invasion by the beetles emerald ash borer and
	bronze birch borer, two major tree killing pests, DACO: 10.2.3
3495106	OMAFRA, 2016, Managing emerald ash borer and bronze birch borer for
	landscape trees, DACO: 10.2.3
3495107	Petrice, T.R., and R.A. Haack, 2014, Biology of the European oak borer in MI
	with comparisons to the native TLCB, DACO: 10.2.3
3495108	Poland, T.M., and D.G. McCullough, 2006, Emerald ash borer: Invasion of the
	urban forest and the threat to North Americas ash resource, DACO: 10.2.3

#### © His Majesty the King in Right of Canada, as represented by the Minister of Health Canada, 2024

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.

-4-