Health Canada Santé Canada

Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

◉ New	◯ Withdrawn	Site of Use	Lawns, Parks, Golf Courses, Stubble Land, Roadsides, Uncropped Land
		Pests	bluebur, burdock (before the 4-leaf stage), cocklebur,common plantain, daisy fleabane,
◉ New	◯ Withdrawn	Site of Use	"
		Pests	false flax, false ragwweed, flixweed, goat's beard, kochia, lamb's-quarters, (including triazine resistant types, mustards (except dog & tansy), prickly lettuce,
◉ New	◯ Withdrawn	Site of Use	"
		Pests	redroot pigweed (including triazine resistant types), ragweeds (common and giant - including triazine resistant types), Russian pigweed, Russian thistle, shepherd's purse,
◉ New	◯ Withdrawn	Site of Use	"
		Pests	stinging nettle, stinkweed, sweet clover, thyme-leaved spurge, wild radish, wild (prairie) sunflower, annual sow thistle, blue lettuce, common chickweed, common purslane,
◉ New	◯ Withdrawn	Site of Use	"
		Pests	biennial wormwood, curled dock (before 4-leaf stage), oakleaf goosefoot, groundsel, gumweed, hairy galinsoga, hawkweed, heal-all, knotweed (before the 4-leaf stage),
◉ New	◯ Withdrawn	Site of Use	"
		Pests	hedge binweed, leafy-spurge, lady's thumb, peppergrass, pineappleweed, prostrate pigweed, purslane, Russian knapweed, sheep sorrel, smartweed, tumble pigweed,
◉ New	◯ Withdrawn	Site of Use	"
		Pests	velvet leaf, volunteer canola, wild buckwheat, yellow rocket (before the 4-leaf stage)
◉ New	◯ Withdrawn	Site of Use	"
		Pests	Biennial wormwood, blue lettuce, bull thistle, burdock, buttercup, Canada thistle, field bindweed, field dandelion, gum weed, hedge bindweed, hoary cress,
◉ New	◯ Withdrawn	Site of Use	"
		Pests	**leafy spurge, mouse-eared chickweed, perennial sowthistle, Russian knapweed, tartary buckwheat, teasel, volunteer sunflower, wild buckwheat, yellow rocket.**