## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

		•	
• New	○ Withdrawn	Site of Use	Wheat
		Pests	Burdock (before the 4 leaf stage), Cocklebur, Common plantain, Common ragweed, False ragweed, Flixweed*, Giant ragweed, Lamb's-quarters,
New	○ Withdrawn	Site of Use	weed list continued
• New	Withdrawn	Pests	Mustards (except Dog and Tansy mustard), Prickly lettuce, Russian pigweed**, Shepherd's purse**, Stinkweed, Vetch, Wild radish, Wild (annual sunflower),
• New	○ Withdrawn	Site of Use	weed list continued
		Pests	Annual sow-thistle, Biennial wormwood, Blue lettuce*, Bluebur, Canada thistle*, Corn spurry*, Curled dock, Dandelion, Dog mustard, Field bindweed*, Field Horsetail*,
<ul><li>New</li></ul>	○ Withdrawn	Site of Use	weed list continued
		Pests	Field peppergrass, Goat's-beard, Gumweed, Hairy galinsoga, Hedge bindweed*, Hempnettle (before 4 leaf stage), Hoary cress*, Kochia, Lady's-thumb*, Leafy spurge*,
<ul><li>New</li></ul>	○ Withdrawn	Site of Use	weed list continued
		Pests	Oak-leaved goosefoot, Perennial sowthistle*, Purslane, Redroot pigweed, Russian knapweed*, Russian thistle, Smartweed*,
<ul><li>New</li></ul>	○ Withdrawn	Site of Use	weed list continued
		Pests	Sweet clover (seedling), Tansy mustard, Tartary Buckwheat.
<ul><li>New</li></ul>	○ Withdrawn	Site of Use	Barley
		Pests	See weed list above
<b>⊚</b> New	○ Withdrawn	Site of Use	Rye
		Pests	See weed list above
<b>⊙</b> New	○Withdrawn	Site of Use	Oats
		Pests	See weed list above

