

Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	spring wheat
		Pests	buckwheat, wild (1-8 leaf), burdock cleavers (1-8 whorls) , Canada thistle (low infestations),
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued
		Pests	cocklebur, field horsetail, flax, volunteer (1-12 cm), flixweed (spring seedling 2-4 leaf), Kochia , lamb's-quarters, mustard, wild, plantain, prickly lettuce , ragweeds
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued
		Pests	shepherd's purse , stinkweed, stork's-bill (1-8 leaf), sunflower, annual, sunflower, volunteer , vetch, wild radish
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued
		Pests	buckwheat, tartary, Canada thistle (medium to high infestations), canola, volunteer , chickweed, common (up to 6 cm), dandelion (spring rosettes only), groundsel, common
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued
		Pests	hemp-nettle (2-6 leaf), mallow, round-leaved (1-6 leaf), pigweed, red-root, pigweed, Russian scentless chamomile, smartweed, sowthistle, annual , sowthistle, perennial.
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Durum wheat
		Pests	Same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Winter wheat
		Pests	Same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Spring barley
		Pests	Same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Spring oats
		Pests	Same weeds as above