



Rapport d'évaluation pour une demande de catégorie A, sous-catégorie 2.0

N° de demande : 2006-2904
Produit : Touchdown de qualité technique
N° d'homologation : 24344
Matière active (m.a.) : Glyphosate acide (88,8 %)
N° de document de l'ARLA : 1463049

Contexte

Touchdown de qualité technique (Touchdown Technical) a été homologué pour la première fois en 1995 et est utilisé dans la formulation de plusieurs préparations commerciales actuellement homologuées.

But de la demande

Cette demande vise à changer le nom du produit concerné, Touchdown de qualité technique, pour herbicide glyphosate acide de qualité technique (Glyphosate Acid Technical Herbicide) et d'autoriser Syngenta à compléter volontairement la base de données présentées à l'appui de Touchdown de qualité technique. Les données présentées n'ont pas été exigées ou demandées par l'Agence de réglementation de la lutte antiparasitaire (ARLA) car on estime que la base de données sur le glyphosate est complète et conforme aux exigences actuelles.

Évaluation des propriétés chimiques

Les exigences en matière de données sur la chimie du glyphosate acide de qualité technique (autrefois appelé Touchdown de qualité technique) sont remplies.

Évaluation sanitaire

On a examiné les études sur le métabolisme du raisin et du soja comme des données de confirmation ainsi que les données actuelles sur le métabolisme des plantes et du bétail en vue d'évaluer la validité de la base de données de Syngenta à l'appui de la matière active glyphosate acide de qualité technique (n° d'homologation 24344) et de toutes les préparations commerciales de Syngenta qui contiennent du glyphosate pour utilisations agricoles. D'après les résultats observés, la nature des résidus de glyphosate dans les plantes et les animaux est considérée comme bien comprise, et aucun nouveau renseignement n'a été obtenu au sujet du profil métabolique du glyphosate. En conséquence, la caractérisation des résidus de glyphosate et de glyphosate trimesium demeurent les mêmes. De plus, la quantité de résidus de glyphosate ne sera pas affectée car aucun des produits de glyphosate déjà homologués n'a été modifié. On ne prévoit donc aucune augmentation de l'exposition alimentaire.

Il est prévu que le profil toxicologique de l'herbicide glyphosate acide de qualité technique sera le même que celui de Touchdown de qualité technique.

Évaluation environnementale

Le profil des risques que pose l'herbicide glyphosate acide de qualité technique pour l'environnement devrait être semblable à celui de Touchdown de qualité technique.

Évaluation de la valeur

Une évaluation de la valeur n'est pas requise pour les matières actives de qualité technique.

Conclusions

L'ARLA a terminé l'évaluation de la présente demande et a jugé que les renseignements étaient suffisants pour autoriser l'homologation complète de l'herbicide glyphosate acide de qualité technique.

Références

Liste d'études et de renseignements présentés par le titulaire

Chemistry Assessment

PMRA 699962	2002, Chemistry Requirements for the Registration of a Technical Grade Active Ingredient (TGAI) - TOUCHDOWN TECHNICAL HERBICIDE, MRID: N/S, DACO: 2.1,2.2,2.3,2.4,2.5,2.6,2.7,2.8,2.9
PMRA 699965	2002, Establishing Certified Limits Ingredient (TGAI) - TOUCHDOWN TECHNICAL HERBICIDE, MRID: N/S, DACO: 2.12.1
PMRA 699968	2002, Detailed Analysis of Technical Materials Representative of Established Large Scale Production, RJ3318B, MRID: N/S, DACO: 2.13.3
PMRA 1216694	1996, Glyphosate Acid: Product Identity, Description of Beginning Materials and Manufacturing Process and Discussion of the Formation of Impurities, DACO: 2.11.1,2.11.2,2.11.3,2.11.4
PMRA 1216698	1996, Glyphosate Acid: Detailed Analysis of Technical Materials Representative of Large Scale Production, DACO: 2.13.1,2.13.2,2.13.3,2.13.4
PMRA 1216711	1996, Glyphosate Acid: Physical and Chemical Properties of Pure Material, Zeneca Agrochemicals,, RJ2003B, DACO: 2.14.1,2.14.2,2.14.3,2.14.4,2.14.5,2.14.6,2.14.7,2.14.8,2.14.9
PMRA 1216713	1996, Glyphosate Acid: Physical and Chemical Properties of Technical Material, Zeneca Agrochemicals, RJ2004B, DACO: 2.14.1,2.14.2,2.14.3,2.14.4,2.14.5,2.14.6,2.14.7,2.14.8,2.14.9

- PMRA 1216734 1996, Replacement Pages - Glyphosate Acid: Detailed Analysis of Technical Materials Representative of Large Scale Production, DACO: 2.13.1,2.13.2,2.13.3,2.13.4
- PMRA 1216737 1996, Replacement Pages - Glyphosate Acid: Physical and Chemical Properties of Pure Material, DACO: 2.14.1,2.14.2,2.14.3,2.14.4,2.14.5,2.14.6,2.14.7,2.14.8,2.14.9
- PMRA 1216740 1996, Replacement Page - Glyphosate Acid: Product Identity, Description of Beginning Materials and Manufacturing Process and Discussion of the Formation of Impurities, DACO: 2.11.1,2.11.2,2.11.3,2.11.4

Health Assessment

- PMRA 1213191 2002, Tier II Summary: Metabolism Data Glyphosate Acid, DACO: 12.7,6.1
- PMRA 1213192 1994, [14C-PMG] Glyphosate-Trimesium: Nature of the Residue in Tissues and Eggs of Laying Hens (WRC-93-089) (WINO 8327), RR 93-064B, DACO: 6.2,8.2.2.4
- PMRA 1213194 1994, The Nature of Residues of Orally Administered [Phosphonomethylene-14C] Glyphosate-Trimesium in Goat Tissues and Milk (WRC-93-088) (WINO 8325), PMS 378, DACO: 6.2,8.2.2.4
- PMRA 1213196 1992, [14C-Anion] ICIA0224 - Nature of the Residue: Soybeans (WRC-91-189), PMS 304, DACO: 6.3
- PMRA 1213197 1991, Glyphosate-Trimesium: Uptake and Metabolism in USA Grape Vines, RJ 1002B, DACO: 6.3
- PMRA 1213198 1990, ICIA0224: Uptake and Metabolism in Grape-Vines, RJ 0815B, DACO: 6.3
- PMRA 1213199 1989, ICIA0224: Metabolism on Wheat Following a Pre-Harvest Foliar Spray, RJ 0778B, DACO: 6.3
- PMRA 1211997 FAO Specifications and Evaluations for Plant Protection Products: Glyphosate N-(phosphonomethyl) glycine. 2000/2001, DACO: 4.1
- PMRA 1211998 1996, Glyphosate Acid: Acute Oral Toxicity Study in Rats, CTL/P/4660, DACO: 4.2.1
- PMRA 1211999 1996, Glyphosate Acid: Acute Dermal Toxicity Study in the Rat, CTL/P/4664, DACO: 4.2.2
- PMRA 1212000 1996, Glyphosate Acid: 4-Hour Acute Inhalation Toxicity Study in Rats, CTL/P/4882, DACO: 4.2.3
- PMRA 1212001 1997, Glyphosate Acid: Eye Irritation to the Rabbit, CTL/P/5138, DACO: 4.2.4
- PMRA 1212002 1996, Glyphosate Acid: Skin Irritation to the Rabbit, CTL/P/4695, DACO: 4.2.5

PMRA 1212003 1996, Glyphosate Acid: Skin Sensitisation to the Guinea Pig, CTL/P/4699, DACO: 4.2.6

PMRA 1212004 1996, First Revision to Glyphosate Acid: 90 Day Feeding Study in Rats., CTL/P/1599, DACO: 4.3.1

PMRA 1212005 1996, First Revision to Glyphosate Acid: 90 Day Oral Toxicity Study in Dogs, CTL/P/1802, DACO: 4.3.2

PMRA 1212006 1996, Glyphosate Acid: 1 Year Dietary Toxicity Study in Dogs, CTL/P/5079, DACO: 4.3.2

PMRA 1212007 1996, Glyphosate Acid: 21 Day Dermal Toxicity Study in Rats, CTL/P/4985, DACO: 4.3.5

PMRA 1212008 1996, Glyphosate Acid: One Year Dietary Toxicity Study in Rats, CTL/P/5143, DACO: 4.4.1

PMRA 1212009 1986, Glyphosate Acid: 2-Year Chronic Toxicity and Oncogenicity Dietary Study with SC-0224 in Mice: Volume I, T-11813, MRID: 00100332, DACO: 4.4.3

PMRA 1212010 1988, Glyphosate Acid: Addendum to Final Report - Two-Year Chronic Toxicity and Oncogenicity Dietary Study with SC-0224 in Mice , T-11813, DACO: 4.4.3

PMRA 1212011 2001, Glyphosate Acid: Two Year Dietary Toxicity and Oncogenicity Study in Rats. [PART 1 OF 3], CTL/PR1111/REG/REPT, DACO: 4.4.4

PMRA 1212012 2001, Glyphosate Acid: Two Year Dietary Toxicity and Oncogenicity Study in Rats. [PART 2 OF 3], CTL/PR1111/REG/REPT, DACO: 4.4.4

PMRA 1212013 2001, Glyphosate Acid: Two Year Dietary Toxicity and Oncogenicity Study in Rats. [PART 3 OF 3], CTL/PR1111/REG/REPT, DACO: 4.4.4

PMRA 1212014 2000, Glyphosate Acid: Multigeneration Reproduction Toxicity Study in Rats. [PART 1 OF 2], CTL/P/6332, DACO: 4.5.1

PMRA 1212015 2000, Glyphosate Acid: Multigeneration Reproduction Toxicity Study in Rats. [PART 2 OF 2], CTL/P/6332, DACO: 4.5.1

PMRA 1212016 1996, Glyphosate Acid: Developmental Toxicity Study in the Rat, CTL/P/4819, DACO: 4.5.2

PMRA 1212017 1996, Glyphosate Acid: Developmental Toxicity Study in the Rabbit, CTL/P/5009, DACO: 4.5.3

PMRA 1212018 1988, Aminomethyl Phosphonic Acid - An Evaluation of Mutagenic Potential Using S. typhimurium and E. coli, CTL/P/2206, DACO: 4.5.4

PMRA 1212019 1988, Glyphosate Acid: Mutagenicity Evaluation in Salmonella typhimurium, T-10893, DACO: 4.5.4

PMRA 1212020 1982, Mutagenicity Evaluation in Mouse Lymphoma Multiple Endpoint Test: A Forward Mutation Assay, T-10881, DACO: 4.5.6

PMRA 1212021 1998, Glyphosate Acid: In Vitro Cytogenetic Assay in Human Lymphocyte, CTL/P/6050, DACO: 4.5.6

PMRA 1212022 1996, Glyphosate Acid: An Evaluation of Mutagenic Potential Using S. typhimurium and E. coli, CTL/P/4874, DACO: 4.5.6

PMRA 1212023 1996, Glyphosate Acid: L5178Y TK+/- Mouse Lymphoma Gene Mutation Assay, CTL/P/4991, DACO: 4.5.6

PMRA 1212024 1996, Glyphosate Acid: Mouse Bone Marrow Micronucleus Test, CTL/P/4954, DACO: 4.5.7

PMRA 1212025 1984, Mutagenicity Evaluation in Chinese Hamster Ovary Cytogenetic Assay , T-10882, DACO: 4.5.8

PMRA 1212026 1996, Glyphosate Acid: Whole Body Autoradiography in the Rat (10mg/kg), CTL/P/4943, DACO: 4.5.9

PMRA 1212027 1996, Glyphosate Acid: Excretion and Tissue Retention of a Single Oral Dose (10mg/kg) in the Rat, CTL/P/4940, DACO: 4.5.9

PMRA 1212028 1996, Glyphosate Acid: Excretion and Tissue Retention of a Single Oral Dose (10mg/kg) in the Rat Following Repeat Dosing, CTL/P/4944, DACO: 4.5.9

PMRA 1212029 1996, Glyphosate Acid: Biotransformation in the Rat, CTL/P/5058, DACO: 4.5.9

PMRA 1212030 2001, Glyphosate: In Vivo Dermal Penetration Study in the Rat, CTL/UR0644/REG/REPT, DACO: 4.5.9,5.8

PMRA 1212031 2000, Glyphosate Acid: Excretion of a Single Oral Dose (10 mg/kg) in the Fasted and Non-Fasted Rat, CTL/UR0633/REG/REPT, DACO: 4.5.9

PMRA 1212032 1996, Glyphosate Acid: Excretion and Tissue Retention of a Single Intravenous Dose (10mg/kg) in the Rat, CTL/P/4941, DACO: 4.5.9

PMRA 1212033 1996, Glyphosate Acid: Excretion and Tissue Retention of a Single Oral Dose (1000mg/kg) in the Rat, CTL/P/4942, DACO: 4.5.9

PMRA 1212034 1996, Glyphosate Acid: Acute Neurotoxicity Study in Rats, CTL/P/4866, DACO: 4.5.12

PMRA 1212035 1988, Aminomethyl Phosphonic Acid: Acute Oral Toxicity to the Rat, CTL/P/4866, DACO: 4.5.12

PMRA 1212037 1996, Glyphosate Acid: Subchronic Neurotoxicity Study in Rats, CTL/P/4867, DACO: 4.5.13

PMRA 1212038 1996, Glyphosate Acid: Comparison of Salivary Gland Effects in Three Strains of Rat, CTL/P/5160, DACO: 4.8

PMRA 1212039 1986, Glyphosate: 28 Day Feeding Study in Rats, CTL/L/1179, DACO: 4.8

PMRA 1212040 1986, Glyphosate: 6 Week Oral Dosing Study in Dogs, CTL/L/1167, DACO: 4.8

PMRA 1212041 2002, Glyphosate Acid: 28 Day Feeding Study in Rats, CTL/PR0653/REG/REPT, DACO: 4.8

PMRA 1212042 2002, Glyphosate Acid: 28 Day Dietary Toxicity Study in Rats, CTL/PR1003/REG/REPT, DACO: 4.8

PMRA 1212043 2002, Glyphosate Acid: Dose Range Finding Study in the Pregnant Rat, CTL/RR0682/REG/REPT, DACO: 4.8

PMRA 1212044 2002, Glyphosate Acid: 6 Week Oral Toxicity Study in Dogs, CTL/PD0656/REG/REPT, DACO: 4.8

PMRA 1212045 2002, Glyphosate Acid: 6 Week Dietary Toxicity Study in Dogs, CTL/PD0662/REG/REPT, DACO: 4.8

PMRA 1212046 2002, Glyphosate Acid: 6 Week Dietary Toxicity Study in Dogs, CTL/PD1002/REG/REPT, DACO: 4.8

PMRA 1212047 2000, Safety Evaluation and Risk Assessment of the Herbicide Roundup and Its Active Ingredient, Glyphosate, for Humans, CTL/PD1002/REG/REPT, DACO: 4.8

PMRA 1410982 2007, DACO 4.6.2 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.2.6

PMRA 1410983 2007, DACO 4.3.1 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.3.1

PMRA 1410984 2007, DACO 4.4.1 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.4.1

PMRA 1410985 1986, GLYPHOSATE ACID: 2 YEAR CHRONIC TOXICITY AND ONCOGENICITY DIETARY STUDY WITH SC-0224 IN MICE, T-11813, DACO: 4.4.3

PMRA 1410996 2007, DACO 4.4.4 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.4.4

PMRA 1410997 2007, DACO 4.5.2 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.2

PMRA 1410998 2002, GLYPHOSATE ACID: DEVELOPMENTAL TOXICITY STUDY IN THE RAT, CTL/P/4819/AMMEND, DACO: 4.5.2

PMRA 1411000	2007, DACO 4.5.3 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.3
PMRA 1411001	2007, DACO 4.5.6 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.4,4.5.6
PMRA 1411002	2007, DACO 4.5.6 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.4,4.5.6
PMRA 1411003	2007, DACO 4.5.6 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.7
PMRA 1411004	2007, DACO 4.5.8 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.6,4.5.8
PMRA 1411005	2007, DACO 4.5.12 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.12
PMRA 1411006	2007, DACO 4.5.12 - GLYPHOSATE ACID TECHNICAL RESPONSE TO CLARIFAX, DACO: 4.5.13

Environment Assessment

PMRA 1213211	1996, [P-Methylene-14C] Glyphosate Acid: Aqueous Hydrolysis at pH 5,7, and 9 and 25oC, PMS 406, DACO: 8.2.3.2
PMRA 1213212	1996, [P-Methylene-14C] Glyphosate Acid: Photodegradation in/on Soil by Natural Sunlight, 547W-1;547W, DACO: 8.2.3.3.1
PMRA 1213213	1996, [P-Methylene-14C] Glyphosate Acid: Photodegradation in a Buffered Aqueous Solution at pH 5 and 7 by Natural Sunlight, 546W-1;546W, DACO: 8.2.3.3.2
PMRA 1213214	1996, [P-Methylene-14C] Glyphosate Acid: Aerobic Soil Metabolism, 548W-1;548W, DACO: 8.2.3.4.2
PMRA 1213215	2001, PMG Acid: Anaerobic Aquatic Metabolism Study, RJ3189B, DACO: 8.2.3.4.4,8.2.3.5.6
PMRA 1213216	1999, Glyphosate-Trimesium: Degredation of 14C-PMG Labelled Compound in Natural Water-Sediment Systems Under Laboratory Conditions, RR 99-039B, DACO: 8.2.3.5.4
PMRA 1213218	1996, Glyphosate Acid: Adsorption and Desorption Properties in 5 Soils, RJ2152B, DACO: 8.2.4.2
PMRA 1213219	1996, Glyphosate Acid: Adsorption and Desorption Properties of the Major Metabolite,, RJ2129B, DACO: 8.2.4.2
PMRA 1049572	2006, Study Outline: TOUCHDOWN 600 HERBICIDE Effects on Nontarget Plants: Green Ash., CER 01313/05, DACO: 9.8.7

PMRA 1213224 1999, Glyphosate-potassium: Toxicity of an SL Formulation to the Earthworm *Eisenia fetida* in an Artificial Soil Test, RJ2858B, DACO: 9.2.3.1

PMRA 1213226 2000, AMPA: Acute Toxicity of AMPA Technical Material to the Earthworm *Eisenia andrei* in an Artificial Soil Test, F13RA, DACO: 9.2.3.1

PMRA 1213227 1998, Glyphosate Acid: Acute Contact and Oral Toxicity to Honey Bees (*Apis mellifera*), FN9700, DACO: 9.2.4.1

PMRA 1213228 1999, Amended report - Glyphosate Acid: Acute Contact and Oral Toxicity to Honey Bees (*Apis mellifera*) of an SL Formulation, GQ5800, DACO: 9.2.4.1

PMRA 1213229 2000, Glyphosate: A Tier I Laboratory Study to Evaluate the Effects of an SL Formulation on the Predatory Mite, *Typhlodromus pyri* (Acarina, Phytoseiidae), ZEN-00-9;ZEN-00-9/C, DACO: 9.2.5

PMRA 1213230 2000, Glyphosate: A Tier II Extended Laboratory Study to Evaluate the Effects of an SL Formulation on the Predatory Mite, *Typhlodromus pyri* (Acarina, Phytoseiidae), ZEN-00-7;ZEN-00-7/C, DACO: 9.2.5

PMRA 1213231 2000, Glyphosate: A Tier I Laboratory Study to Evaluate the Effects of a SL Formulation on the Carabid Beetle *Poecilus cupreus* (Coleoptera: Carabidae), ER-00-HMA380, DACO: 9.2.5

PMRA 1213232 2001, Glyphosate : A Tier II Laboratory Study to Evaluate the Effect of a SL Formulation on the Staphylinid Beetle, *Aleochara bilineata* Gyll. (Coleoptera, Staphylinidae), 20001034/01-NEAb/C;20001034/01-NEAb, DACO: 9.2.5

PMRA 1213233 2000, Glyphosate: A Tier I Laboratory Study to Evaluate the Effects of an SL Formulation on the Green Lacewing, *Chrysoperla carnea* (Neuroptera, Chrysopidae), ZEN-00-8/C;ZEN-00-8, DACO: 9.2.5

PMRA 1213234 2000, Glyphosate: A Tier I Laboratory Study to Evaluate the Effects of an SL Formulation on the Parasitic Wasp, *Aphidius rhopalosiphi* (Hymenoptera, Braconidae), ZEN-00-10/C;ZEN-00-10, DACO: 9.2.6

PMRA 1213235 2000, Glyphosate : A Tier II Extended Laboratory Study to Evaluate the Effects of an SL Formulation on the Parasitic Wasp, *Aphidius rhopalosiphi* (Hymenoptera, Braconidae), ZEN-00-6/C;ZEN-00-6, DACO: 9.2.6

PMRA 1213236 2001, Glyphosate : A Tier II Laboratory Study to Evaluate the Effect of a SL Formulation on the Hoverfly *Episyrphus balteatus* (Diptera: syrphidae), RJ3125B, DACO: 9.2.6

PMRA 1213237 1995, Glyphosate Acid: Acute Toxicity to *Daphnia magna*, BL5551/B;AB0503/C, DACO: 9.3.2

PMRA 1213238 1993, AMPA- Acute Toxicity to *Daphnia magna*, BL5061/B;X582/C, DACO: 9.3.2

PMRA 1213239 1998, Glyphosate Acid: Chronic Toxicity to *Daphnia magna*, BL6535/B;AF0497/B, DACO: 9.3.3

PMRA 1213240 1996, Glyphosate Acid: Acute Toxicity to Mysid Shrimp (*Mysidopsis bahia*), BL5713/B;AB0503/H, DACO: 9.4.2

PMRA 1213241 1996, Glyphosate Acid: Acute Toxicity to Larvae of the Pacific Oyster (*Crassostrea gigas*), BL5714/B;AB0503/G, DACO: 9.4.3

PMRA 1213242 1995, Glyphosate Acid: Acute Toxicity to rainbow trout (*Oncorhynchus mykiss*), BL5552/B;AB0503/D, DACO: 9.5.2.1

PMRA 1213243 1993, AMPA- Acute Toxicity to Rainbow Trout, BL5070/B;X582/A, DACO: 9.5.2.1

PMRA 1213244 1995, Glyphosate Acid: Acute Toxicity to Bluegill Sunfish (*Lepomis macrochirus*), BL5553/B;AB0503/E, DACO: 9.5.2.2

PMRA 1213245 2001, Glyphosate: Acute Toxicity to Mirror Carp (*Cyprinus carpio*), BL7138/B;AJ0130/A, DACO: 9.5.2.3

PMRA 1213246 1996, Glyphosate Acid: Acute Toxicity to Sheepshead Minnow (*Cyprinodon variegatus*), BL5715/B;AB0503/F, DACO: 9.5.2.4

PMRA 1213247 1988, Glyphosate Acid: Early Life Stage Toxicity of SC-0224 Technical to Rainbow Trout (*Salmo gairdneri*) in a Flow-Through System, 35819;T-13137, DACO: 9.5.3.1

PMRA 1213248 1997, Glyphosate Acid: Acute Oral Toxicity (LD50) to Bobwhite Quail, ISN 400/963858, DACO: 9.6.2.1

PMRA 1213249 1997, Glyphosate Acid: Dietary LC50 to the Bobwhite Quail, ISN 395/963857, DACO: 9.6.2.4

PMRA 1213250 1997, Glyphosate Acid: Dietary LC50 to the Mallard Duck, ZCA 23/971766, DACO: 9.6.2.5

PMRA 1213251 1999, Glyphosate Acid: A Reproduction Study with the Northern Bobwhite (*Colinus virginianus*), 123-186, DACO: 9.6.3.1

PMRA 1213252 1998, Glyphosate Acid: A Reproduction Study with the Mallard (*Anas platyrhynchos*), 123-187, DACO: 9.6.3.2

PMRA 1213253 1995, Glyphosate Acid: Toxicity to the Green Alga (*Selenastrum capricornutum*), BL5550/B;AB0503/B, DACO: 9.8.2

PMRA 1213254 1996, Glyphosate Acid: Toxicity to Blue-Green Alga (*Anabaena flos-aquae*), BL5698/B;AB0503/J, DACO: 9.8.2

PMRA 1213255 1996, Glyphosate Acid: Toxicity to the Freshwater Diatom *Navicula pelliculosa*, BL5673/B;AB0503/K, DACO: 9.8.2

- PMRA 1213256 1994, AMPA: Testing of Toxic Effects of Aminomethyl Phosphonic Acid (AMPA) on the Single Cell Green Alga Scenedesmus subspicatus, IFU93006/01-Ss, DACO: 9.8.2
- PMRA 1213257 1999, Glyphosate: Toxicity to the Green Alga Selenastrum capricornutum of a 360g/L SL Formulation, BL6753/B;AG0360/D, DACO: 9.8.2
- PMRA 1213258 1996, Glyphosate Acid: Toxicity to the Marine Alga Skeletonema costatum, BL5684/B;AB0503/I, DACO: 9.8.3
- PMRA 1213259 1996, Glyphosate Acid: A Tier II Glasshouse Study to assess the Effects on Seedling Emergence of Terrestrial Non-target Plants, RJ 2008B, DACO: 9.8.4
- PMRA 1213260 1996, Glyphoste Acid: A Tier II Glasshouse Study to Assess the Effects on Vegetative Vigour of Terrestrial Non-target Plants, RJ 2009B, DACO: 9.8.4
- PMRA 1213261 1996, Glyphosate Acid: Toxicity to Duckweed (Lemna gibba), BL5662/B;AB0503/L, DACO: 9.8.5

ISSN : 1911-8015

© Sa Majesté la Reine du chef du Canada, représentée par le ministre des Travaux publics et Services gouvernementaux Canada 2007

Tous droits réservés. Il est interdit de reproduire ou de transmettre l'information (ou le contenu de la publication ou produit), sous quelque forme ou par quelque moyen que ce soit, enregistrement sur support magnétique, reproduction électronique, mécanique, ou par photocopie, ou autre, ou de l'emmagasiner dans un système de recouvrement, sans l'autorisation écrite préalable du ministre des Travaux publics et Services gouvernementaux Canada, Ottawa, Ontario K1A 0S5.