

Evaluation Report for Category B, Subcategory B.3.10 and B.3.11 Application (New or Changes to the Tank Mixes and Pests)

| Application Number: | 2013-4650 |
|-----------------------------|--|
| Application: | Category B, Subcategory B.3.10 and B.3.11 (new or changes to |
| | product label – tank mixes and pests) |
| Product: | Tandem A Herbicide |
| Registration Number: | 29985 |
| Active ingredients (a.i.): | 30 g/L pyroxsulam |
| PMRA Document Number | : 2359457 |

Background

Tandem A is registered for post-emergence control or suppression of grasses and broadleaf weeds in spring wheat, durum wheat, and winter wheat not underseeded with legumes in the Prairie Provinces and Peace River Region of British Columbia. Tandem A can be applied at 15 g a.i./ha with a recommended non-ionic surfactant (NIS) at 0.25% v/v or in tank mixes with labelled herbicides and fungicides for additional pest control. For specific details of uses, application rates and methods, precautions, restrictions, and personal protective equipment requirements, refer to the product label.

Purpose of Application

The purpose of this application is to amend the registration of Tandem A to include 2,4-D Ester (at 280 g a.e./ha) as a new tank mix option for control of volunteer canola and lamb's-quarters in spring and durum wheat.

Chemistry, Health, and Environmental Assessments

Chemistry, health, and environmental assessments were not required as there was no change to product chemistry, product formulation, or use pattern.

Value Assessment

Data from 12 field research trials conducted across various ecozones in Alberta, Manitoba, and Saskatchewan between 2009 and 2012 demonstrated that volunteer canola and lamb's-quarters control could be achieved with the treatment of 280 g a.e./ha 2,4-D ester in tank mix with Tandem A.



Volunteer canola and lamb's-quarters are competitive and distributed across the wheat growing regions of the Canadian prairies. Control of these weeds in small grain cereals depends on phenoxy herbicides. Registering a lower rate of 2,4-D ester than currently registered 330-528 g a.e./ha for control of volunteer canola and lamb's-quarters will reduce the overall 2,4-D ester introduced into the environment, while still providing effective control at reduced costs to growers and contributing to resistance management.

Conclusions

The PMRA has completed an assessment of the subject application and has found the information sufficient to amend the registration of Tandem A to include 2,4-D Ester as a new tank mix option for control of volunteer canola and lamb's-quarters in spring and durum wheat.

Reference

List of Studies/Information Submitted by Registrant

PMRA # 2338270 2013, Small Scale Field Trial Reports - BRSNN and CHEAL, DACO: 10.2.3.3.

ISSN: 1911-8082

• Her Majesty the Queen in Right of Canada, represented by the Minister of Public Works and Government Services Canada 2014

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.