

Evaluation Report for Category B, Subcategory 3.12 Application

Application Number: 2019-6437

Application: Changes to Product Labels - New Site **Product:** ACTICIDE RS MICROBIOCIDE LIQUID

Registration Number: 30128

Active ingredients (a.i.): 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-

isothiazolin-3-one

PMRA Document Number: 3124385

Purpose of Application

The purpose of this application was to add the new use in pesticide formulations to the product label of ACTICIDE RS MICROBIOCIDE LIQUID.

Chemistry and Environmental Assessments

Chemistry and environmental assessments were not required for this application.

Health Assessment

The occupational exposure and risk from the addition of the use as a material preservative in pest control products to the ACTICIDE RS MICROBIOCIDE LIQUID label was assessed. No risks of concern are expected from the new use, provided that workers follow the label directions and wear the personal protective equipment identified on the label.

Toxicology and dietary exposure assessments were not required for this application.

Value Assessment

Given the similarity of pesticide formulations to the range of uses currently on the label, in-can preservation of pesticide formulation can be expected. The supported rates for ACTICIDE RS MICROBIOCIDE LIQUID will control bacteria, mold, and yeast in pest control products.

Conclusion

The Pest Management Regulatory Agency has completed an assessment of the information provided, and has found the information sufficient to add the new use in pesticide formulations to the label of ACTICIDE RS MICROBIOCIDE LIQUID.



References

PMRA Document Reference Number

3056816 2019, ISL/IST Efficacy Rationale, DACO: 10.2

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Health Canada, 2020

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.