

Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	wheat (spring, durum and winter),
		Pests	Buckwheat (wild, tartary, volunteer,cultivated) ,Cleavers, Common ragweed ,Corn spurry Cow cockle, Flixweed, Green smartweed , Hempnettle, Knotweed, Kochia , Lady's-thumb
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued
		Pests	Lamb's-quarters, Mustards (wild, ball, tall, wormseed, yellow), Night Flowering Catchfly, Pigweeds (prostrate, redroot), Russian thistle, Shepherd's-purse , Annual sow thistle
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued
		Pests	Stinkweed ,Volunteer rapeseed, Volunteer sunflowers
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Weeds continued (Top growth control only)
		Pests	Canada thistle, Field bindweed, Hedge bindweed, Perennial sow thistle
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	barley
		Pests	same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	oats
		Pests	same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	stubble fields
		Pests	same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	summerfallow
		Pests	same weeds as above
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	canary seed
		Pests	same weeds as above