



Evaluation Report for Category B, Subcategory 3.12 Application

Application Numbers: 2008-0448

Application: New host

Products: Touchdown IQ Liquid Herbicide

Registration Number: 27192

Active ingredients (a.i.): Glyphosate (present as mono-ammonium salt or diammonium salt)

PMRA Document Number (English PDF): 1875830

Purpose of Application

The purpose of this application was to expand the use of the end-use product, Touchdown IQ Liquid Herbicide (Registration Number 27192), to include use in glyphosate tolerant soybeans that contain the GAT Optimum genetic event.

Chemistry Assessment

A chemistry assessment was not required for this application.

Health Assessment

The data received for plant metabolites of glyphosate in plants containing the GAT Optimum genetic event showed low acute oral toxicity in rats and the genotoxicity studies were all negative. A short-term oral toxicity study in rats with n-acetyl glyphosate also showed very low toxicity. These two plant metabolites are not more toxic than glyphosate or the common metabolite AMPA. Therefore, full risk assessments are not required for the plant metabolites.

The proposed use expansion is not expected to increase exposure for workers mixing/loading and applying the product or entering treated soybean fields from the currently registered use pattern for glyphosate.

Plant metabolism and residue data for glyphosate in glyphosate tolerant soybean containing the GAT Optimum genetic event were submitted to support the proposed use expansion. In addition, a processing study in treated glyphosate tolerant soybean containing the GAT Optimum genetic event was also provided and assessed to determine the potential for concentration of residues of glyphosate in processed commodities.

Based on the maximum residues observed in glyphosate tolerant soybeans that contain the GAT Optimum genetic event treated according to label directions, maximum residue limit (MRL) of 20 ppm to cover residues in/on soybeans will be established as shown in Table 1. Residues of glyphosate in processed commodities not listed in Table 1 are covered under established MRL for the raw agricultural commodity (RAC).

Residue Limit(s) (MRLs)

Commodity	Application Method/ Total Application Rate (kg a.e./ha)	PHI (days)	Residues (ppm)		Experimental Processing Factor	Currently Established MRL*	Recommended MRL**
			Min	Max			
Glyphosate tolerant soybean containing GAT Optimum genetic event	Broadcast (pre-emergence + 2x postemergence + preharvest) / 6.66 – 6.98	14	0.33	8.64	No concentration observed in soybean processed fractions	20	20

*The current MRL for glyphosate on soybeans is established for the parent glyphosate and the metabolite AMPA.

**The proposed MRL for glyphosate on soybeans is proposed for the parent glyphosate and the metabolites N-acetylglyphosate, AMPA and N-acetyl AMPA, and will replace the existing MRL for soybeans.

Based on the dietary burden and residue data, MRLs of 2.0 ppm in kidney, 0.2 ppm in liver, 0.08 ppm in meat, eggs and milk, and 0.15 ppm in fat will be promulgated to cover the combined residues of glyphosate, N-acetylglyphosate and AMPA.

Following the review of all available data, MRLs are recommended to cover residues of glyphosate and the metabolites. Residues of glyphosate and metabolites in these commodities at the established MRLs will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.

Environmental Assessment

No environmental studies were required to support the proposed use expansion. The rates of application, timing, and application methods for this use are identical to those for the currently registered use of Touchdown IQ Liquid Herbicide on glyphosate tolerant soybeans without the GAT Optimum genetic event. Thus, no increased risk to the environment is expected.

Value Assessment

Data from 15 trials conducted in the United States and Canada were submitted for review in support of the use of Touchdown IQ Liquid Herbicide on soybeans containing the GAT Optimum genetic event. The data indicate an acceptable level of crop safety, therefore the use pattern is acceptable.

Conclusion

The PMRA had conducted an evaluation of the subject application and found the information sufficient to support the use expansion of the end-use product, Touchdown IQ Liquid Herbicide, to glyphosate tolerant soybeans that contain the GAT Optimum genetic event.

References

PMRA Document Number: 1552807

Reference: 2007, Analytical Method for the Determination of Glyphosate and Degradate Residues in Various Crop Matrices Using LC/MS/MS, DACO: 7.1,7.2.1,7.2.2,7.2.5

PMRA Document Number: 1552809

Reference: 2007, Analytical Method for the Determination of N-acetylglyphosate and other Analytes in Various Animal Matrices Using LC/MS/MS, DACO: 7.1,7.2.1

PMRA Document Number: 1552811

Reference: 2007, Independent Laboratory Validation of DuPont-15444,"Analytical Method for the Determination of Glyphosate and Relevant Metabolite Residues in Various Crop Matrices Using LC/MS/MS", DACO: 7.1,7.2.3

PMRA Document Number: 1552814

Reference: 2007, Independent Laboratory Validation of DuPont-20009,"Analytical Method for the Determination of N-acetylglyphosate and Other Analytes In Various Animal Matrices Using LC/MS/MS", DACO: 7.1,7.2.3

PMRA Document Number: 1552816

Reference: 2007, Method Assessment and Validation of PAM Multi-Residue Method for the Determination of N-acetylglyphosate, DACO: 7.1,7.2.4

PMRA Document Number: 1552818

Reference: 2007, The Metabolism of [14 C]Glyphosate in gat/gm-hra (DP-356043-5,PHP20163a) Soybeans, DACO: 6.1,6.3

PMRA Document Number: 1552819

Reference: 2007, The Metabolism of [14 C]-N-Acetylglyphosate (IN-MCX20) in Laying Hens, DACO: 6.1,6.2

PMRA Document Number: 1552821

Reference: 2007, The Metabolism of [14 C]-N-Acetylglyphosate (IN-MCX20) in the Lactating Goat, DACO: 6.1,6.2

PMRA Document Number: 1552822

Reference: 2007, Magnitude of Residues of N-acetylglyphosate and Degradates in Laying Hen Tissues and Eggs, DACO: 7.1,7.5

PMRA Document Number: 1552825

Reference: 2007, Magnitude of Residues of N-acetylglyphosate and Degradates in Dairy Cow Tissues and Milk, DACO: 7.1,7.5

PMRA Document Number: 1552833

Reference: 2007, Magnitude of the Residues of Glyphosate and Metabolites in Aspirated Grain Fractions (AGF) and Processed Fractions (Refined Oil, Meal, and Hulls) of a Soybean Line Containing Event DP

356043-5 Following Applications of Glyphosate Containing Herbicides, DACO: 7.4.5

PMRA Document Number: 1552836

Reference: 2006, IN-MCX20: Mouse Bone Marrow Micronucleus Test, DACO: 4.1,4.5.7

PMRA Document Number: 1552837

Reference: 2007, IN-MCM20: Subchronic Toxicity 90-Day Feeding Study in Rats, DACO: 4.1,4.7.1

PMRA Document Number: 1552840

Reference: 2006, IN-MCX20: In Vitro Mammalian Cell Gene Mutation Test (CHO/HGPRT), DACO: 4.1,4.5.5

PMRA Document Number: 1552843

2007, IN-EY252: In Vitro Mammalian Chromosome Aberration Test in Human Peripheral Blood Lymphocytes, Reference: DACO: 4.1,4.5.4

PMRA Document Number: 1552845

Reference: 2007, IN-EY252: Mouse Bone Marrow Micronucleus Test, DACO: 4.1,4.5.7

PMRA Document Number: 1552846

Reference: 2007, In Vitro Mammalian Cell Gene Mutation Test (CHO/HGPRT), DACO: 4.1,4.5.5

PMRA Document Number: 1552847

Reference: 2007, IN-EY252: Acute Oral Toxicity Study in Rats-Up-and-Down Procedure, DACO: 4.1,4.2.1

PMRA Document Number: 1552848

2008, Tolerance of soybeans containing the event DP-356043-5 to postemergence applications of glyphosate, DACO: 10.1, 10.2.3.1, 10.2.3.4(b), 10.3.1, 10.3.

PMRA Document Number: 1667738

Reference: 2004, Salmonella-Escherichia Coli/Mammalian-Microsome Reverse Mutation Assay with a Confirmatory Assay with N-acetyl-glyphosate, DACO: 4.5.4

PMRA Document Number: 1667739

Reference: 2004, Chromosomal Aberrations in Chinese Hamster Ovary (CHO) Cells, DACO: 4.5.5

PMRA Document Number: 1667740

Reference: 2004, Acute Oral Toxicity Study In Rats with N-Acetyl-Glyphosate , Sodium Salt (Acute Toxic Class Method), DACO: 4.5.5

PMRA Document Number: 1667741

Reference: 2007, IN-EY252:Bacterial Reverse Mutation Assay, DACO: 4.5.4

PMRA Document Number: 1754236

Reference: 2009, Stability of Glyphosate, N-Acetylglyphosate, Aminomethyl Phosphonic Acid and N-Acetyl AMPA in GAT Soybean Forage, Seed, and Hay Stored Frozen, DACO: 7.3

PMRA Document Number: 1735244

Reference: 2008, Magnitude and Decline of Residues of Glyphosate and Its Degradates in/on Forage, Hay and Seed of a Soybean Line Containing Event DP-356043-5 Containing the GAT and GM-HRA Genes Following a Variety of Tank Mix Applications of Glyphosate Herbicides and Sulfonylurea Herbicides,

DACO: 7.4.1

PMRA Document Number: 1735245

Reference: 2008, Magnitude and Decline of Residues of Glyphosate and Its Degradates in/on Forage, Hay and Seed of a Soybean Line Containing Event DP-356Ø43-5 Containing the GAT and GM-HRA Genes Following a Variety of Tank Mix Applications of Glyphosate Herbicides and Sulfonylurea Herbicides, DACO: 7.4.1

PMRA Document Number: 1735248

Reference: 2008, Magnitude and Decline of Residues of Glyphosate and Its Degradates in/on Forage, Hay and Seed of a Soybean Line Containing Event DP-356Ø43-5 Containing the GAT and GM-HRA Genes Following a Variety of Tank Mix Applications of Glyphosate Herbicides and Sulfonylurea Herbicides, DACO: 7.4.1

ISBN : 1911-8082

Catalogue number: xxxxxxxxxxxx (xxxxxxxxxx)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Public Works and Government Services Canada 2006

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.