



Health
Canada Santé
Canada

Your health and
safety... our priority.

Votre santé et votre
sécurité... notre priorité.

Registration Decision

RD2016-21

Metofluthrin

(publié aussi en français)

14 June 2016

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6607 D
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada 

ISSN: 1925-0932 (print)
1925-0940 (online)

Catalogue number: H113-25/2016-21E (print version)
H113-25/2016-21E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2016

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Registration Decision Statement¹ for Metofluthrin

Health Canada's Pest Management Regulatory Agency (PMRA), under the authority of the *Pest Control Products Act* and Regulations, is granting full registration for the sale and use of SumiOne Technical Grade and OFF! Mosquito Lamp, OFF! PowerPad Mosquito Lamp 2 and OFF! Mosquito Coils 2, containing the technical grade active ingredient metofluthrin, as an outdoor area repellent for mosquitos.

This decision is consistent with the Proposed Registration Decision PRD2016-10, *Metofluthrin*, which contains a detailed evaluation of the information submitted in support of this registration. The evaluation found that, under the approved conditions of use, the products have value and do not present an unacceptable risk to human health or the environment. The PMRA received no comments on PRD2016-10, *Metofluthrin*.

Other Information

The relevant test data on which the decision is based (as referenced in PRD2016-10, *Metofluthrin*) are available for public inspection, upon application, in the PMRA's Reading Room (located in Ottawa). For more information, please contact the PMRA's Pest Management Information Service by phone (1-800-267-6315) or by e-mail (pmra.infoserv@hc-sc.gc.ca).

Any person may file a notice of objection² regarding this registration decision within 60 days from the date of publication of this Registration Decision. For more information regarding the basis for objecting (which must be based on scientific grounds), please refer to the Pesticides and Pest Management portion of the Health Canada's website (Request a Reconsideration of Decision) or contact the PMRA's Pest Management Information Service.

¹ "Decision statement" as required by subsection 28(5) of the *Pest Control Products Act*.

² As per subsection 35(1) of the *Pest Control Products Act*.