

Evaluation Report for Category B, Subcategory 3.12, 3.4 Application

Application Number: 2018-2937
Application: Changes to Product Labels – New Site or Host, Application Method
Product: FPY/PTZ Fungicide
Registration Number: 31729
Active ingredients (a.i.): Fluopyram and Prothioconazole
PMRA Document Number: 3018755

Purpose of Application

The purpose of this application was to amend the FPY/PTZ Fungicide product label to add crop subgroup 20A (rapeseeds) by ground and aerial application.

Chemistry Assessment

A chemistry assessment was not required for this application.

Health Assessments

A toxicology assessment was not required for this application.

The use of FPY/PTZ Fungicide on crop subgroup 20A (rapeseeds) does not fit within the registered use pattern of fluopyram and prothioconazole. However, potential exposure for mixers, loaders, applicators and postapplication workers was assessed and no health risks of concern were identified. No health risks of concern are expected for workers and bystanders provided all label statements, precautions and directions are followed.

Residue data for fluopyram and prothioconazole were not submitted to support the addition of all commodities of crop subgroup 20A (rapeseeds), for application by ground or aerial equipment, to the FPY/PTZ Fungicide label. As such, previously reviewed residue data for fluopyram and prothioconazole, applied separately by ground field sprayer to canola (the representative commodity of crop subgroup 20A), were re-assessed in the framework of the current application and were considered adequate to support both ground and aerial applications.

Residues of fluopyram and prothioconazole in/on all treated food commodities of crop subgroup 20A are not expected to increase and will continue to be covered under the maximum residue limits (MRLs) of 1.8 ppm for fluopyram and 0.15 ppm for prothioconazole, both previously established for commodities of crop subgroup 20A.

The dietary exposure assessments on file for these two active ingredients are also adequate to cover the new uses of FPY/PTZ Fungicide. No health risks of concern are expected to any segment of the population, including infants, children, adults and seniors.

Environmental Assessment

The label expansions for FPY/PTZ Fungicide is supported from an environmental perspective provided that environmental risk reduction and hazard statements included on the label are followed.

Value Assessment

A rationale and the results of efficacy trials were used to support the addition of the claim of control of sclerotinia stem rot on crop subgroup 20A (canola/rapeseed) to the label of FPY/PTZ Fungicide. The results of the trials demonstrated control of sclerotinia stem rot through application of product at 250 g a.i./ha. Therefore, the use of FPY/PTZ Fungicide to control sclerotinia stem rot is supported.

Conclusion

The Pest Management Regulatory Agency has completed an assessment of the available information and found it sufficient to support the amendments to the FPY/PTZ Fungicide registration.

References

| PMRA Document Number | References |
|----------------------|--|
| 2900574 | 2018, Value assessment of Propulse Fungicide for control of Sclerotinia Stem Rot in crop subgroup 20A: Rapeseeds, DACO: 10.1,10.2.1,10.2.2,10.2.3.1,10.2.3.3, 10.2.3.3(D),10.2.4,10.3.1,10.3.2,10.3.2(B),10.4,10.5.1,10.5.2,10.5.3 |
| 2900577 | 2018, Compilation of Field Trial Reports: Value assessment of Propulse Fungicide for control of Sclerotinia Stem Rot in crop subgroup 20A: Rapeseeds, DACO: 10.2.3.3,10.2.3.3(D),10.3.2(B) |

ISSN: 1911-8082

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Health Canada, 2019

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.