Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

• New	○ Withdrawn	Site of Use	Apple
		Pests	Scab (Venturia inaequalis) - Sooty Blotch (Peltaster fruiticola, Leptodontium elatuius and Geastrumia polystigmatis), Fly Speck (Schizothyrium pomi), Brook's Spot (Mycosphaerella p
New	○ Withdrawn	Site of Use	Apricot
		Pests	Brown Rot (Monilinia fructicola)
• New	○ Withdrawn	Site of Use	Cherries (sour, sweet)
		Pests	Brown Rot (Monilinia fructicola) and Leaf Spot (Shot Hole) (Blumeriella jaapii)
New	○ Withdrawn	Site of Use	Peach and Nectarine
		Pests	Brown Rot (Monilinia fructicola) and Scab (Cladosporium carpophilus)
New	○ Withdrawn	Site of Use	Pear
		Pests	Scab (Venturia pirina) and Sooty Blotch (Peltaster fruiticola, Leptodontium elatuius and Geastrumia polystigmatis)
New	○ Withdrawn	Site of Use	PLUM, PRUNE
		Pests	Black Knot (Apiosporina morbosa) and Brown Rot (Monilinia fructicola)
New	○ Withdrawn	Site of Use	GRAPE
		Pests	Dead Arm (Phomopsis viticola), Downy Mildew (Plasmopara viticola) and Black Rot (Guignardia bidwellii)
⊙ New	○ Withdrawn	Site of Use	RASPBERRY
		Pests	Fruit Rot (Botrytis cinerea) and Spur Blight (Didymella applanate)
⊙ New	○Withdrawn	Site of Use	BLACKBERRY
		Pests	Fruit Rot (Botrytis cinerea)



Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

• New	○ Withdrawn	Site of Use	LOGANBERRY
		Pests	Cane Spot (Elsinoë veneta), Fruit Rot (Botrytis cinerea), Leaf Spot (Septoria rubi) and Spur Blight (Didymella applanate)
• New	○ Withdrawn	Site of Use	BLUEBERRY
		Pests	Fruit Rot (Botrytis cinerea) and Mummy Berry (Monilinia vaccinii-corymbosi)
• New	○ Withdrawn	Site of Use	STRAWBERRY
		Pests	Gray-Mold Rot (Botrytis cinerea) and Leaf Spot (Mycosphaerella fragariae)
• New	○ Withdrawn	Site of Use	RHUBARB (IN FORCING SHEDS)
(incline)		Pests	Grey Mold (Botrytis cinerea)
• New	○ Withdrawn	Site of Use	CUCUMBER
		Pests	Anthracnose (Colletotrichum orbiculare) and Scab (Cladosporium cucumerinum)
New	○ Withdrawn	Site of Use	РОТАТО
		Pests	Early Blight (Alternaria solani) and Late Blight (Phytophthora infestans)
• New	○ Withdrawn	Site of Use	ТОМАТО
		Pests	Anthracnose (Colletotrichum spp.) and Septoria Leaf Spot (Septoria lycopersici)
• New	○ Withdrawn	Site of Use	GINSENG
		Pests	rhizoctonia root rot (Rhizoctonia solani), pythium root rot and damping-off (Pythium spp.), phytophthora root rot (Phytophthora cactorum), grey mould (Botrytis cinerea) and cylindro
○New	○Withdrawn	Site of Use	
		Pests	

