

Evaluation Report for Category B, Subcategory 3.12 Application

Application Number: 2021-3402

Application: Changes to Product Labels – New Site or Host

Product: PROLINE GOLD

Registration Number: 30511

Active ingredients (a.i.): Fluopyram and prothioconazole

PMRA Document Number: 3384145

Purpose of Application

The purpose of this application was to expand the registration of PROLINE GOLD to include the control or suppression of early blight (*Alternaria solani*), brown spot (*Alternaria alternata*), black dot (*Colletotrichum coccodes*) and white mold (*Sclerotinia sclerotiorum*) on potato.

Chemistry Assessment

A chemistry assessment was not required for this application.

Health Assessments

A toxicology assessment was not required for this application.

The occupational exposure and risk from use of PROLINE GOLD on potatoes was assessed. No risks of concern to mixers/loaders, applicators, postapplication workers and bystanders are expected from use of the product, provided that workers follow the label directions and wear the personal protective equipment identified on the label.

Residue data from field trials conducted with fluopyram and prothioconazole in Canada and the United States were submitted to support the use of PROLINE GOLD on potatoes. Prothioconazole and fluopyram were applied to potatoes at the labelled rate, and harvested according to label directions. Previously reviewed residue data from field trials conducted with fluopyram in/on potatoes were also reassessed in the framework of this application. In addition, a processing study conducted with fluopyram and prothioconazole in treated potatoes was reviewed to determine the potential for concentration of residues of fluopyram and prothioconazole into processed commodities. Processing studies conducted with fluopyram in treated potatoes were also reassessed to determine the potential for concentration of residues of fluopyram into processed commodities.

Maximum Residue Limits

Based on the residues observed in potatoes treated according to the current label directions, harvested at the appropriate PHI, and the guidance provided in the <u>OECD MRL Calculator</u>, it was determined that residues of prothioconazole in potatoes would be



covered under the MRL currently established for this commodity. Residues in processed commodities are covered under the MRL for the raw agricultural commodity (RAC).

TABLE 1. Summary of Field Trial and Processing Data Used to Support Maximum Residue Limit (MRL) for Prothioconazole							
Commodity	Application Method/ Total Application Rate (g a.i./ha)	PHI (days)	LAF T	HAF T	Experimental Processing Factor	Currently Established MRL (ppm)	Recommended MRL (ppm)
Potato tuber	Foliar/ 296-311	13-14	<0.02	<0.02		0.02	None
Potato chips	Foliar/ 1500	12-14	<0.02	<0.02	1X		
Potato Flakes	Foliar/	12-14	<0.02	<0.02	1X		

LAFT = Lowest Average Field Trial; HAFT = Highest Average Field Trial

Based on the residues observed in potatoes treated according to the current label directions, harvested at the appropriate PHI, and the guidance provided in the <u>OECD MRL Calculator</u>, it was determined that residues of fluopyram in potatoes would be covered under the MRL currently established for this commodity. Residues in processed commodities are covered under the MRL for the raw agricultural commodity (RAC).

TABLE 2. Summary of Field Trial and Processing Data Used to Support Maximum Residue Limit (MRL) for Fluopyram							
Commodity	Application Method/ Total Application Rate (g a.i./ha)	PHI (days)	LAF T	HAF T	Experimental Processing Factor	Currently Established MRL (ppm)	Recommended MRL (ppm)
Potato tuber	Foliar/ 296-311	13-14	<0.01	<0.01		0.1	None
Potato chips	Foliar/ 1500	12-14	<0.01	<0.01	0.25X		
Potato Flakes	Foliar/ 1500	12-14	<0.01	<0.01	0.94X		

Following the review of all available data, it was determined that the current established MRL of 0.02 ppm for residues of prothioconazole in/on potatoes is considered adequate to cover residues of prothioconazole in/on this commodity as a result of this use. Residues of prothioconazole in

potatoes at the established MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.

Following the review of all available data, it was determined that the current established MRL of 0.1 ppm for residues of fluopyram in/on potatoes is considered adequate to cover residues of fluopyram in/on this commodity as a result of this use. Residues of fluopyram in potatoes at the established MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.

Environmental Assessment

The use pattern on potatoes is within the registered use pattern of PROLINE GOLD; therefore, no additional risk is expected from the use of PROLINE GOLD.

The label includes all the required environmental precautions, directions for use and spray buffer zone information which adequately mitigate risks to the environment.

Risk from use of PROLINE GOLD is acceptable from the environmental perspective when used according to label directions.

Value Assessment

Rationales and efficacy data from eight trials conducted in Canada and the USA were reviewed to support the label expansion of PROLINE GOLD. Under adequate disease pressure in fields, PROLINE GOLD demonstrated an acceptable level of disease control or suppression against listed diseases on potato. The other supporting evidence also confirmed the value of PROLINE GOLD for control of early blight, brown leaf spot and white mold, or for suppression of black dot on potato.

The label expansion will provide Canadian growers with a product to manage important diseases on potato. In addition, it will address minor use needs for Canadian potato growers since all of the supported potato diseases have been identified as minor use priorities through the National Minor Use Priority Setting process in 2020.

Conclusion

The Pest Management Regulatory Agency has completed an assessment of the information provided, and has found the information sufficient to amend the label of PROLINE GOLD to include use on potato.

References

PMRA	Reference
Document	
Number	

3250536	Magnitude of the residues of fluopyram and prothioconazole in/on potato after
	foliar spray and overhead chemigation application of fluopyram +
	prothioconazole SC 400 (200 + 200 g/L), 2021, DACO 7.4.1, 7.4.2
3250537	Magnitude of the residues of fluopyram and prothioconazole in/on potato
	processed commodities after overhead chemigation application of fluopyram +
	prothioconazole SC 400 (200 + 200 g/L), 2021, DACO 7.4.5
3250527	2021, Value Assessment of PROPULSE and DELARO Fungicides on Various
	Diseases in Potatoes, DACO:
	10.2.1,10.2.2,10.2.3.1,10.2.3.3(D),10.3.2(B),10.5.1,10.5.2,10.5.3,10.5.4
3250529	2021, Value Assessment of PROPULSE and DELARO Fungicides on Various
	Diseases in Potatoes, DACO: 10.2.3.3(D)

© His Majesty the King in Right of Canada, as represented by the Minister of Health Canada, 2022

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.