

## **Evaluation Report for Category B, Subcategory 3.10 Application**

**Application Number:** 2023-5959

**Application:** New or Changes to Product Labels – Tank Mixes **Product:** Acceleron IX-409 Insecticide Seed Treatment

**Registration Number:** 31068

**Active ingredient (a.i.):** Imidacloprid (IMI)

PMRA Document Number: 3545686

### **Background**

Acceleron IX-409 Insecticide Seed Treatment (Reg. No. 31068; registrant Bayer Cropscience Inc. (BCZ)) is a systemic seed treatment insecticide containing 600 g/L imidacloprid for early season protection against soybean aphid, bean leaf beetle, seedcorn maggot, wireworm, and larvae of European chafer and Japanese beetle on soybean crops.

## **Purpose of Application**

The purpose of this application is to add the general tank mixing statement to the product label, remove the spray buffer zone statement, and remove specific tank mix partners as per applicant's request.

### Chemistry, Health, and Environmental Assessment

Chemistry, health, and environmental assessments were not required as there was no change to product chemistry, product formulation, or use pattern.

#### Value Assessment

A thorough review of the label determined that the addition of the general tank mixing statement is acceptable as it is consistent with the requirements in the PMRA Guidance Document – Tank Mix Labelling (March 16, 2023).

The inclusion of the general tank mixing statement on the label allows growers greater flexibility to select tank mixtures to control pests in labelled crops. Flexibility in the selection of tank mix partners may contribute to resistance management practices, integrated pest management programs or the control of a broader range of pests, with an associated cost- and time-savings by the user.



# Conclusion

The Pest Management Regulatory Agency has completed an assessment of the subject application and has found the inclusion of the general tank mixing statement to be acceptable on the product label. VRD does not support the removal of Spray Buffer Zones from the general tank mix statement as that part of the statement cannot be edited.

References
None.
© His Majesty the King in Right of Canada, as represented by the Minister of Health Canada, 2024
All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.