

Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Pome fruits Apple Crabapple Mayhaw Pear Oriental pear Quince
		Pests	Pear scab (<i>Venturia pirina</i>) Apple scab (<i>Venturia inaequalis</i>); storage diseases: Control of Botrytis, Suppression of Penicillium
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Grape
		Pests	Botrytis Bunch Rot (<i>Botrytis cinerea</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Gooseberry
		Pests	Botrytis Grey Mould (<i>Botrytis cinerea</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Highbush Blueberry, Raspberry
		Pests	Botrytis Grey Mould (<i>Botrytis cinerea</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Strawberry , Lowbush Blueberry
		Pests	Botrytis Grey Mould (<i>Botrytis cinerea</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Potato
		Pests	Early Blight
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Field Tomato
		Pests	Early blight, Grey Mould (<i>Botrytis cinerea</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Crop Group 3-07 (Bulb Vegetables)*
		Pests	Botrytis Leaf Blight, (<i>B. squamosa</i> , <i>B. cinerea</i>), Purple blotch (<i>Alternaria porri</i>), Neck Rot (<i>B. allii</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Ginseng
		Pests	Alternaria blight (<i>Alternaria panax</i>), Botrytis blight (<i>Botrytis cinerea</i>)