

Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Outdoor Ornamentals: camellia
		Pests	Petal Blight (Ciborinia camelliae)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	carnation
		Pests	Leaf Spot (Alternaria dianthicola, A. dianthi)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	chrysanthemum
		Pests	(Botrytis cinerea) and Septoria Leaf Spot (Septoria chrysanthemi, S. chrysanthemella)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	rose
		Pests	Black Spot (Diplocarpon rosae)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	aster, dahlia, lilac, rose, tulip
		Pests	Botrytis Flower Blight (Botrytis cinerea)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	begonia (tuberous), daffodil, dahlia, gladiolus, iris (bulbous), narcissus, tulip
		Pests	Damping-Off, Bulb Rots (Pythium, Rhizoctonia, and Fusarium spp.)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Turf (sod farms, golf course)
		Pests	Brown Patch (Rhizoctonia solani), Damping-Off (Pythium, Rhizoctonia, and Fusarium spp.), Leaf Spot and Melting-Out (Bipolaris, Drechslera, and Exserohilum spp.)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	pests continued.
		Pests	and Root Rot (Pythium spp.)
<input type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	
		Pests	

Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Soil and greenhouse bench treatment (soil treatment)
		Pests	damping-off and fungus root rot diseases
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Pear
		Pests	Scab (<i>Venturia pirina</i>) and Sooty Blotch (<i>Peltaster fruticola</i> , <i>Leptodontium elatuius</i> and <i>Geastrumia polystigmatis</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Cucumber (field grown)
		Pests	Anthrachnose (<i>Colletotrichum orbiculare</i>) and Scab (<i>Cladosporium cucumerinum</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Potato
		Pests	Early Blight (<i>Alternaria solani</i>) and Late Blight (<i>Phytophthora infestans</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Tomato (field grown)
		Pests	Anthrachnose (<i>Colletotrichum</i> spp.) and Septoria Leaf Spot (<i>Septoria lycopersici</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Raspberry
		Pests	Fruit Rot (<i>Botrytis cinerea</i>) and Spur Blight (<i>Didymella applanate</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Blackberry
		Pests	Fruit Rot (<i>Botrytis cinerea</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Loganberry
		Pests	Cane Spot (<i>Elsinoë veneta</i>), Fruit Rot (<i>Botrytis cinerea</i>), Leaf Spot (<i>Septoria rubi</i>) and Spur Blight (<i>Didymella applanate</i>)
<input checked="" type="radio"/> New	<input type="radio"/> Withdrawn	Site of Use	Highbush blueberry, Lowbush blueberry
		Pests	Control of: Fruit Rot (<i>Botrytis cinerea</i>) and Mummy Berry (<i>Monilinia vaccinii-corymbosi</i>)