

Evaluation Report for Category B, Subcategory 2.6 Application

Application Number: 2020-2704
Application: New EP Product Chemistry-New Combination of Technical Grade Active Ingredients
Product: Fierce MTZ Herbicide
Registration Number: 34279
Active ingredients (a.i.): metribuzin, flumioxazin, pyroxasulfone
PMRA Document Number: 3277596

Purpose of Application

The purpose of this submission was to register a new herbicide containing flumioxazin, pyroxasulfone, and metribuzin for control of certain grasses and broadleaf weeds in for use in soybean and fallow land, and to maintain bare ground non-crop areas of farms.

Chemistry Assessment

Fierce MTZ Herbicide is formulated as a suspension containing metribuzin at a concentration of 179.2 g/L, pyroxasulfone at a concentration of 76.4 g/L, and flumioxazin at a concentration of 59.8 g/L. This end-use product has a density of 1.13 g/cm³ and pH of 6.07. The required chemistry data for Fierce MTZ Herbicide have been provided, reviewed and found to be acceptable.

Health Assessments

Fierce MTZ Herbicide is of slight acute oral toxicity, and of low acute dermal and inhalation toxicity. It is non-irritating to the eye and minimally irritating to the skin. It is not a dermal sensitizer.

The use pattern of Fierce MTZ Herbicide on fallow land and to maintain bare ground in non-crop areas of farms fits within the use pattern for the active ingredients pyroxasulfone and flumioxazin. However, the risk assessments for these active ingredients were updated to calculate the amount handled per day restrictions and the required personal protective equipment, as the guarantee of pyroxasulfone and flumioxazin and the application rates are lower for use on non-crop areas compared to the previously registered rates. For metribuzin, the use on non-crop areas is considered an expansion of use and therefore, the risk assessment for metribuzin was updated. No health risks of concern are expected for all three active ingredients in Fierce MTZ Herbicide provided that workers wear the appropriate personal protective equipment and follow all label directions.

No new residue data for flumioxazin, metribuzin and pyroxasulfone in soybean were submitted to support the registration of Fierce MTZ Herbicide. Rather, previously reviewed residue data in/on soybeans were re-assessed in the framework of this application. The use directions on the Fierce MTZ Herbicide label, including the target crop, method (ground), rates and timing of application, feeding restrictions, and crop rotation restrictions are similar to the precedent end-use products. Based on this assessment, residues are not expected to be greater than that for the currently registered uses and will be covered by the established MRLs. Consequently, dietary exposure to residues of flumioxazin, metribuzin and pyroxasulfone is not expected to increase with the registration of Fierce MTZ Herbicide and will not pose health risks of concern to any segment of the population, including infants, children, adults and seniors.

Environmental Assessment

The use pattern for Fierce MTZ Herbicide is within the registered use pattern of the precedent product, and therefore, no additional risk is expected from the use of Fierce MTZ Herbicide. Risk from use of Fierce MTZ Herbicide is acceptable from the environmental perspective when used according to label directions.

Value Assessment

The registration of Fierce MTZ Herbicide provides farmers a useful solution to control a broader spectrum of weeds with soil residual activity in soybean and fallow land and to maintain bare ground non-crop areas of farms. In addition, Fierce MTZ Herbicide, which is co-formulated with active ingredients from three mode of action groups (Groups 5, 14, and 15) with overlapping spectra of control, provides farmers a valuable tool that may help manage resistant weeds.

Value information submitted for review consisted of precedent registrations and data from field trials conducted in the Canadian Prairies and eastern Canada in 2018 and 2019. This information collectively demonstrated that the application of Fierce MTZ Herbicide provides acceptable control of the labelled weeds and soybean exhibited an adequate margin of tolerance to Fierce MTZ Herbicide applied as per the label instructions.

Rotational crops are supported based on the most restrictive registrations of rotational crops as well as the pre-plant and pre-emergent application timing to the host crops on the precedent labels.

Conclusion

The Pest Management Regulatory Agency has completed an assessment of the available information and has found it sufficient to support the registration of Fierce MTZ Herbicide.

References

PMRA

Document

Number	Reference
3133685	2017, V-10448 2.64 SC Herbicide: Product Identity and Composition, Description of Materials Used to Produce the Product, Description of Production Process, Description of Formulation Process, Discussion of Formation of Impurities, Preliminary Analysis, Certified Limits, Enforcement Analytical Method, Submittal of Samples, DACO: 3.2.1,3.2.2,3.2.3,3.3.1,3.4.1,3.4.2
3133686	2017, V-10448 2.64 SC Herbicide: Product Identity and Composition, Description of Materials Used to Produce the Product, Description of Production Process, Description of Formulation Process, Discussion of Formation of Impurities, Preliminary Analysis, Certified Limits, Enforcement Analytical Method, Submittal of Samples, DACO: 3.2.1,3.2.2,3.2.3,3.3.1,3.4.1,3.4.2 CBI
3133687	2017, Validation of Enforcement Analytical Method for Determination of Flumioxazin, Pyroxasulfone, and Metribuzin in V-10448 2.64 SC Herbicide, DACO: 3.4.1
3133688	2017, Physical and Chemical Properties of V-10448 2.64 SC Herbicide, DACO: 3.5.1,3.5.11,3.5.12,3.5.13,3.5.15,3.5.2,3.5.3,3.5.6,3.5.7,3.5.8,3.5.9
3133689	2018, Shelf-Life Storage Stability and Corrosion Characteristics of V-10448 2.64 SC Herbicide, DACO: 3.5.10,3.5.14
3263784	2021, 830.1650 - Description of formulation process for V-10448 2.64 SC Herbicide, DACO: 3.2.2 CBI
3133691	2017, V-10448: Acute Oral Toxicity - Up-And-Down Procedure in Rats, DACO: 4.6.1
3133692	2017, V-10448: Acute Dermal Toxicity in Rats, DACO: 4.6.2
3133693	2017, V-10448: Acute Inhalation Toxicity in Rats, DACO: 4.6.3
3133694	2017, V-10448: Primary Eye Irritation in Rabbits, DACO: 4.6.4
3133695	2017, V-10448: Primary Skin Irritation in Rabbits, DACO: 4.6.5
3133696	2017, V-10448: Local Lymph Node Assay (LLNA) in Mice, DACO: 4.6.6
3133679	2020, Summary of value for Fierce MTZ Master Herbicide, containing flumioxazin, metribuzin and pyroxasulfone, DACO: 10.1, 10.2.1, 10.2.2, 10.2.3.3(B), 10.3.1, 10.3.2(A), 10.3.3, 10.4, 10.5.1, 10.5.2, 10.5.3, and 10.5.4.
3133680	2020, Appendix 2: Trial reports for "summary of value for Fierce MTZ Master Herbicide, containing flumioxazin, metribuzin and pyroxasulfone", DACO: 10.1, 10.2.1, 10.2.2, 10.2.3.3(B), 10.3.1, 10.3.2(A), 10.3.3, 10.4, 10.5.1, 10.5.2, 10.5.3, and 10.5.4.
3133681	2017, Appendix 1: Evaluation of new herbicide options for the control of foxtail barley (<i>Hordeum jubatum</i>) in spring wheat, DACO: 10.1, 10.2.1, 10.2.2, 10.2.3.3(B), 10.3.1, 10.3.2(A), 10.3.3, 10.4, 10.5.1, 10.5.2, 10.5.3, and 10.5.4.

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Health Canada, 2021

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.