## Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

<ul><li>New</li></ul>	○ Withdrawn	Site of Use	Fruit trees (newly planted, established)
		Pests	same weeds as above
• New	○ Withdrawn	Site of Use	Highbush Blueberries (newly planted)
		Pests	same weeds as above
<ul><li>New</li></ul>	○ Withdrawn	Site of Use	Transplanted Tomatoes (grown for fresh market only)
		Pests	same weeds as above
• New	○ Withdrawn	Site of Use	Spring Barley and Spring Wheat
		Pests	Ball mustard, Common chickweed, Common Groundsel, Corn spurry, Green smartweed, Hempnettle, Henbit (375 g/ha only), Lady's-thumb, Lamb's-quarter,
• New	○ Withdrawn	Site of Use	weeds continued
		Pests	Night flowering catchfly, Redroot pigweed, Russian thistle (375 g/ha only), Stinkweed, Tartary buckwheat, Volunteer non-triazine tolerant canola, Wild mustard, Wormseed mustard
• New	○ Withdrawn	Site of Use	Dryland Winter Wheat
		Pests	Downy Brome, Stinkweed, Flixweed, Shepherd's purse
• New	○ Withdrawn	Site of Use	Chickpeas and Lentils (suppression only)
		Pests	Ball mustard, Common chickweed, Corn spurry, Green smartweed, Hempnettle, Lamb's-quarter, Stinkweed, Tartary buckwheat, Volunteer non-triazine tolerant canola, Wild mustard
<b>⊙</b> New	○ Withdrawn	Site of Use	Processing Peas, Field Peas
		Pests	Ball mustard, Common chickweed, Corn spurry, Green smartweed, Hempnettle, Lamb's-quarter, Stinkweed, Tartary buckwheat, Volunteer non-triazine tolerant canola, Wild mustard
<b>⊙</b> New	○Withdrawn	Site of Use	Potatoes (Western)
		Pests	same weeds as above

