Proposed New Uses and / or Uses to be Withdrawn from the Label

In this form, there are several rows that allow you to input for multiple Sites of Use and Pests. For each Site of Use, please use a separate row. However, for each Site of Use, you can list multiple pests.

• New	○ Withdrawn	Site of Use	• WHEAT (spring, durum and winter) ,• BARLEY, • CANARY SEED
		Pests	kochia (up to 5 cm tall), wild buckwheat (suppression),lamb's quarters wild mustard, American nightshade (up to 4-leaf) redroot pigweed (suppression),
New	○ Withdrawn	Site of Use	weeds continued
		Pests	ball mustard (up to 4-leaf) Russian thistle (up to 4-leaf, < 5cm tall), bluebur (up to 4-leaf) scentless chamomile (up to 4-leaf), Canada thistle (top growth control only),
New	○ Withdrawn	Site of Use	weeds continued
		Pests	shepherd's purse (up to 4-leaf), chickweed, stinkweed, cleavers (up to 6 whorls) ,stork's bill (suppression),cocklebur (up to 4-leaf) ,tartary buckwheat,common buckwheat
New	○ Withdrawn	Site of Use	weeds continued
		Pests	triazine resistant pigweed (up to 4-leaf), common groundsel velvetleaf (up to 4-leaf), common ragweed ,volunteer canola (up to 4-leaf), cow cockle (up to 4-leaf), volunteer flax
New	○ Withdrawn	Site of Use	weeds continued
		Pests	green smartweed (up to 4-leaf), volunteer sunflower (up to 4-leaf), hemp-nettle ,wild buckwheat,lady's thumb (up to 4-leaf), wormseed mustard,pale smartweed (up to 4-leaf)
• New	○ Withdrawn	Site of Use	Enforcer M Herbicide + Nufarm Boost Herbicide (wheat (spring, durum and winter) and barley only
		Pests	weeds above +suppression of Narrow-leaved Hawk's beard
○ New	○ Withdrawn	Site of Use	
		Pests	
○New	○ Withdrawn	Site of Use	
		Pests	
○New	○Withdrawn	Site of Use	
		Pests	