

Evaluation Report for Category B, Subcategory 2.1, 2.3, 2.4, 3.11, 3.12 Application

Application Number: 2021-3104
Application: New End-Use Product (Product Chemistry) – Guarantee, Identity of Formulants and Proportion of Formulants, and New Product Label – New Pests and New Site or Host
Product: Bioprotec Garden and Ornamentals Ready to Use
Registration Number: 34764
Active ingredients (a.i.): Citric acid and lactic acid
PMRA Document Number: 3428360

Purpose of Application

The purpose of this application was to register a domestic end-use product, Bioprotec Garden and Ornamentals Ready to Use, for use against certain fungal or bacterial pathogens on fruit, vegetable and ornamental crops grown in the field and/or greenhouse.

Chemistry Assessment

Bioprotec Garden and Ornamentals Ready to Use is formulated as a solution containing citric acid at a concentration of 0.028% and lactic acid at a concentration of 0.051%. This end-use product has a density of 1.01– 1.02 g/mL and pH of 3.2-3.6. The required chemistry data for Bioprotec Garden and Ornamentals Ready to Use have been provided, reviewed and found to be acceptable.

Health Assessments

A detailed review of the toxicological database was conducted for Bioprotec Garden and Ornamentals Ready to Use. Previously reviewed toxicological data for citric acid and lactic acid were considered acceptable to characterize the hazard profile of Bioprotec Garden and Ornamentals Ready to Use.

Citric acid and lactic acid are of low acute toxicity, however, both lactic and citric acid are slightly irritating to the skin, and eye irritation studies indicated that, at the concentrations found in Bioprotec Garden and Ornamentals Ready to Use, citric and lactic acid are capable of producing moderate to severe injury to the eye, particularly with repeated or prolonged exposure. Appropriate label statements and requirements for basic personal protective equipment will minimize exposure for individuals with repeated or prolonged exposure.

When handled according to the label instructions, the potential for dermal, eye and inhalation exposure for applicators, mixer/loaders, and handlers exists, however, the risk is acceptable provided workers follow label directions and use personal protective equipment (PPE) as instructed.

Label warnings, directions for use, and risk mitigation measures are adequate to protect users of Bioprotec Garden and Ornamentals Ready to Use. Overall, risks to domestic users are acceptable when the precautionary statements on the labels are followed which include PPE.

Residential and non-occupational exposure to Bioprotec Garden and Ornamentals Ready to Use is expected to be low when label directions are observed. Consequently, the risk to bystanders and individuals in residential areas and the general public is acceptable.

Residues of citric acid and lactic acid on treated food crops are possible at the time of harvest. Dietary risk to humans from the use of Bioprotec Garden and Ornamentals Ready to Use is acceptable due to the low toxicity profile of citric acid and lactic acid. In addition, the likelihood of residues contaminating drinking water supplies is minimal and not expected to contribute to increased dietary exposure. The levels of citric acid and lactic acid that would result on food crops from the use of Bioprotec Garden and Ornamentals Ready to Use are expected to be much lower than levels already consumed in the Canadian diet from other sources. Therefore, the specification of a maximum residue limit (MRL) under the *Pest Control Products Act* is not required for citric acid and lactic acid.

Environmental Assessment

The registration of Bioprotec Garden and Ornamentals Ready to Use for use as a bactericide and fungicide on terrestrial food crops, greenhouse food and non-food crops, and outdoor ornamentals does not pose any additional risk to the environment when used according to label directions.

Value Assessment

The efficacy and crop safety of Bioprotec Garden and Ornamentals Ready to Use was compared to that of cited precedent products. Based on this comparison and a set of field bridging trials, it was concluded that these products are expected to perform similarly, both in terms of efficacy and crop tolerance. Additional field efficacy trials supported claims to suppress fire blight on apple and powdery mildew on grape. Therefore, the value of all claims registered on the precedent products as well as the claims on apple and grape is determined acceptable for Bioprotec Garden and Ornamentals Ready to Use.

The availability of Bioprotec Garden and Ornamentals Ready to Use will provide domestic users with a convenient product that does not require dilution to manage common fungal or bacterial diseases on grape, apple, roses, greenhouse and outdoor ornamentals including cut flowers and greenhouse and field-grown cucumbers, squashes and pumpkins.

Conclusion

The Pest Management Regulatory Agency has completed an assessment of the information provided, and has found the information acceptable to register Bioprotec Garden and Ornamentals Ready to Use.

References

| PMRA Document Number | Reference |
|-----------------------------|---|
| 3248435 | 2021, Description of Starting Materials, DACOs 3.2.1 to 3.2.3, DACO: 3.2,3.2.1,3.2.2,3.2.3 CBI |
| 3248439 | 2021, DACO 3.4.2 Analysis of [CBI Removed], DACO: 3.4,3.4.2 CBI |
| 3248440 | 2021, Chemical and Physical Properties of the technical grade active ingredient, DACOs 3.5.1 to 3.5.15, DACO: 3.5,3.5.1,3.5.11,3.5.12,3.5.13, 3.5.14,3.5.15,3.5.2,3.5.3,3.5.4,3.5.5,3.5.6,3.5.7,3.5.8,3.5.9 CBI |
| 3248442 | 2021, Storage stability report, DACO: 3.5,3.5.10 CBI |
| 3248459 | 2021, Manufacturing process, DACO: 3.2.2 CBI |
| 3248461 | 2021, Protocole de dosage d'acide lactique et d'acide citrique par spectrophotometrie, DACO: 3.4,3.4.1 CBI |
| 3264844 | 2021, Amended DACO 3.5.5, DACO: 3.5.5 CBI |
| 3374980 | 2022, Storage stability, DACO: 3.5.10 CBI |
| 3413753 | 2022, Formulation process, DACO: 3.2.2 CBI |
| 3413752 | 2022, Description of starting material and formulation process, DACO: 3.2.1,3.2.2 CBI |
| 3248457 | 2021, Data part 4: Toxicology - Human health, DACO: 4.1,4.2,4.2.1,4.2.2, 4.2.3,4.2.4,4.2.5,4.2.6 |
| 3248456 | 2021, DACO 5.2 Use description, DACO: 5.2 CBI |
| 3248280 | 2021, DACO 10.1 Value Summaries, DACO: 10.1 |
| 3248322 | 2021, Evaluation of the efficacy of Cyclone and Cyclone PLUS against powdery mildew in greenhouse cucumber, DACO: 10.2.3.3 |
| 3248323 | 2021, Cyclone as a Management Tool against Powdery Mildew in Hops, DACO: 10.2.3.3 |
| 3248324 | 2021, Evaluation de biofungicides pour lutter contre le mildiou dans le concombre de champ en regie biologique, DACO: 10.2.3.3 |
| 3248325 | 2021, Evaluation of Cyclone PLUS for efficacy against Powdery Mildew on grapevines; Phelps, NY 2017, DACO: 10.2.3.3 |
| 3248326 | 2020, Evaluating fungicides for control anthracnose fruit rot in blueberries, 2020., DACO: 10.2.3.3 |
| 3248327 | 2021, Efficacy trial summary Tomato, DACO: 10.2.3.3 |
| 3248328 | 2021, Summary efficacy trials excel table, DACO: 10.2.3.3 |
| 3248329 | 2021, Evaluation de differentes formulations pour le controle du blanc dans le concombre en serre., DACO: 10.2.3.3 |

- 3248330 2021, Evaluation de concentration reduite de Cyclone PLUS pour le controle du blanc dans la culture du concombres de serre, DACO: 10.2.3.3
- 3248331 2021, Evaluation de bioproducts non fermente pour le controle du blanc dans le concombres en serre., DACO: 10.2.3.3
- 3248332 2021, Evaluer l'impact d'un bioproduct non fermente dans le controle du blanc dans le concombres en serre., DACO: 10.2.3.3
- 3248333 2021, Evaluer l'impact d'un bioproduct non fermente dans le controle du blanc dans le concombres en serre., DACO: 10.2.3.3
- 3248334 2018, Evaluation of bactericide programs for the management of fire blight on 'Gala' apples in NY, 2018., DACO: 10.2.3.3
- 3248335 2021, Evaluation of Different Products for Fire Blight Management, DACO: 10.2.3.3
- 3248336 2021, Evaluation of Cyclone PLUS for Fire Blight Management in PNW, DACO: 10.2.3.3
- 3248415 2021, Evaluation of the activity of organic acids based bioproduct on black rot (*Guignardia bidwellii*), DACO: 10.2.3.3
- 3248424 2021, DACO 10.1 Value Summaries, DACO: 10.1
- 3248428 2021, DACO 10.3.1 Non-Safety adverse effects, DACO: 10.3,10.3.1
- 3354198 2022, Response to deficiencies Value Bioprotec Garden and Ornamentals RTU, DACO: 10.1,10.2.3.3
- 3354199 2022, Efficacy of Biofungicide as a foliar fungicide in the control of late season Powdery mildew in Chardonnay grapes, DACO: 10.2.3.3
- 3354200 2022, Evaluation of a biofungicide for *Erysiphe necator* (*Uncinula necator*) (Blanc, Oidium), Powdery Mildew Management in *Vitis vinifera*, DACO: 10.2.3.3
- 3354201 2022, Excel summary efficacy data, DACO: 10.2.3.3

© His Majesty the King in Right of Canada, as represented by the Minister of Health Canada, 2023

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.