



2,4-D 2-Ethylhexyl Ester

FOR MANUFACTURING USE ONLY

GUARANTEE: 2,4-D, present as 2-ethylhexyl ester 63.9% a.e.

REGISTRATION NO. 16982 PEST CONTROL PRODUCTS ACT

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**

WARNING  **POISON**

NET CONTENTS: bulk

Corteva Agriscience Canada Company
Suite 240, 115 Quarry Park Rd. SE
Calgary, AB
T2C 5G9
1-800-667-3852

TMTrademark of Corteva Agriscience and its affiliated companies.

PRECAUTION

**KEEP OUT OF REACH OF CHILDREN
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL
MAY CAUSE IRRITATION TO EYES AND SKIN
MAY BE HARMFUL IF SWALLOWED
AVOID CONTACT WITH EYES, SKIN AND CLOTHING**

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

This product may cause mild irritation to the eyes. Overexposure to 2,4-D may cause coughing, burning, dizziness or temporary loss of muscle coordination. Other possible effects of overexposure include fatigue, muscle weakness or nausea. Treat symptomatically. No specific antidote. Employ supportive care. Treatment should be based on judgment of the physician in response to reactions of the patient.

Do not ship or store with food, feeds, drugs or clothing.

ENVIRONMENTAL HAZARD

Direct contamination of any body of water with this product may kill fish. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

STORAGE

Keep in original container during storage. Store in a cool, dry well ventilated place away from seed, feed, fertilizer or other pesticides. Do not contaminate water, food or feed by storage or disposal. Keep away from fire or open flame, or other source of heat.

DISPOSAL

Canadian formulators of this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*. Because of their properties and intended uses, formulations containing 2,4-D 2-ethylhexyl ester may require precautionary labelling differing from that given. Formulators should develop their own use and precautionary labelling based on the properties and intended uses of their own finished formulations and in accordance with all pertinent laws and regulations.

2023-6504
2023-12-18

Page 3

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in any way that is inconsistent with the directions on the label.

™ Trademark of Corteva Agriscience and its affiliated companies.