

12-MAR-07

**LATER'S™  
GARDEN SULPHUR  
FUNGICIDE**

WETTABLE POWDER

To control Black Spot, Brown Rot, Powdery Mildew,  
Scab and Chiggers and Red Spider Mites.

DOMESTIC

REG. NO. 5293 P.C.P. ACT

GUARANTEE: Sulphur 92%

CAUTION – POISON

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

350 g (400 g)

Spectrum Brands IP Inc.,  
P.O. Box 21001,  
Brantford, ON N3R 7W9

**DIRECTIONS:**

Later's™ Garden Sulphur Fungicide can be applied as a dust or as a liquid spray to control Scab, Black Spot, Powdery Mildew and Red Spider Mites. For a spray, measure the proper amount of Later's™ Garden Sulphur Fungicide into a watering can or sprayer. Add a small amount of water and stir until a thin paste is formed, then add the balance of water. Stir thoroughly. Do not use within 4 weeks of an oil treatment. Do not use any product containing sulphur on cucumber, melons or similar plants. Sulphur may cause injury to foliage if applied when the temperature is exceedingly high. Do not make applications when the temperature is above 24°C.

5 g = 1 teaspoon

1 m<sup>2</sup> = 1 long pace by 1 long pace

**HOW TO USE:**

Liquid Spray: Mix 5 g with 1 L of water (unless otherwise indicated)

BLACK SPOT: On Roses – Spray or dust weekly with **Later's Garden Sulphur Fungicide**.

BROWN ROT: On Cherries, Peaches, Plums and Prunes – Spray or dust just before the fruit begins to ripen. For liquid spray, mix 7 g with 1 L of water.

CHIGGERS AND RED BUGS: Dust infected premises as necessary. Keep underbrush and grasses closely trimmed to discourage reinfestation.

POWDERY MILDEW: On Beans, Chrysanthemums, Dahlias, Roses and many other plants – Dust or spray every 7 to 10 days, during the growing season.

RED SPIDER MITES: Dust or spray when pests appear. Repeat as necessary.

RUST MITE: On Tomatoes – To clean up early infestations, dust or spray at the rate of 10 g per 1 L of water when the fruit begins to set. Repeat treatment as necessary. **Do not apply Sulphur on Tomatoes within 40 days of harvest if they are to be canned in metal containers.**

SCAB: On Apples and Pears – Spray when bugs begin to swell and at 10 day intervals until 2 weeks after petal fall. Apply at the rate of 6 g per 1 L of water. During wet weather make additional treatments.

TO INCREASE SOIL ACIDITY: Apply approximately 20 g per 1 m<sup>2</sup> of soil surface annually around plants that prefer acid such as Azaleas, Camellias, Heather and Rhododendrons. For acid correction of heavy clay soil, apply at the same time annually, preferably in the fall. On prepared new lawn soil, use only for deep correction. Do not use for surface correction. For liquid application, mix 10 g with 1 L of water.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. May cause irritation to skin, eyes and respiratory tract. Avoid contact with skin, eyes and clothing. Wash hands carefully after use and before eating, drinking or smoking.

ENVIRONMENTAL HAZARDS: Do not apply directly to aquatic habitats (such as lakes, rivers, sloughs, ponds, coulees, prairie potholes, creeks, marshes, streams, reservoir, and wetlands) and estuarine/marine habitats. Do not contaminate water by cleaning equipment or disposing of wastes.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.**

**FIRST AID:** **If swallowed**, give two glasses of water to drink and contact a doctor or poison control centre. **If in eyes**, flush with running water for 15 minutes and call a doctor immediately. **If on skin**, wash thoroughly with soap and water. Take container, label or product name and P.C.P. Reg. No. with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**STORAGE:** Keep product in original container. Store in a cool, dry place away from food.

**DISPOSAL:** Do not reuse empty container. Wrap and dispose of empty container with household garbage.

**NOTICE TO USER:** This PEST control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in any way that is inconsistent with the directions on the label. The user assumes the risks to persons or property that arises from any such use of this product.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.