

2013-1474  
15-NOV-2013

KING HOME & GARDEN

## Fruit Tree and Garden spray

DOMESTIC

SPRAY OR DUST  
INSECTICIDE/FUNGICIDE

Controls most diseases and insects on fruit trees, small fruit, vegetables and ornamentals.

NET CONTENTS: 500 g

GUARANTEE:

Carbaryl .....	10%
Malathion .....	5%
Captan .....	10%

WARNING, CONTAINS THE ALLERGEN SULPHITES  
KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL BEFORE USING

REGISTRATION NO.: 9986  
PEST CONTROL PRODUCTS ACT

KING HOME & GARDEN INC.  
3-304 STONE ROAD WEST  
GUELPH, ONTARIO  
N1G 4W4

[www.kinghg.on.ca](http://www.kinghg.on.ca) 1-866-458-5464

DANGER  
Skull in octagon  
POISON

WARNING:  
Exposure to Captan may produce long-term health effects. To minimize exposure, follow directions outlined on this label.

## BACK PANEL

### FOR USE ON

Fruit: Apples, Apricots, Blackberries, Cherries, Strawberries

Vegetables: Cucumbers, Peppers, Tomatoes

Ornamentals: Outside only

### TO CONTROL

Most diseases and insects. For outdoor use only.

### APPLICATION:

#### GREEN CROSS DIAL-A-SPRAY®\*

Fill the container to the 400 ml mark with powder. Top up to the 600 ml mark with warm water. Stir or mix well. Set dial at 30 and spray. For lesser requirements, keep dial at 30, add desired amount of powder then add water to a level 1.5 times higher than that of the powder (eg. if using 200 ml of powder, add water and mix until 300 ml level is reached).

#### COMPRESSED AIR SPRAYER

Mix well 10 grams of powder per litre of water (6 tablespoons per gallon).

### DUST

Dust fruit and upper and lower leaf surfaces with a light, even coating. Spray fruit and upper and lower leaf surfaces thoroughly.

Crop	Maximum Number of Applications per Year	Minimum Application Interval (days)
Cucumbers, Cherries	1	Not applicable
Peppers, Tomatoes	4	7
Apples, Apricots	2	10
Blackberries, Strawberries	2	7
Outdoor Ornamentals	4	10

### NOTE:

Some fruit thinning may be expected on apple trees if they are sprayed within 25 days of blossom. Thinning is often desirable and healthy trees will not be over thinned. Not effective in thinning pears or other fruit. Do not apply on edible parts within 7 days of harvest. DO NOT USE on

African violets, Boston and maidenhair fern, Boston ivy, Virginia creeper, ilex and crassula. TOXIC TO BEES. Do not apply during pollination period. Avoid application of this product when winds are gusty. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

\* The GREEN CROSS DIAL-A-SPRAY is a hose-end sprayer with various settings. The number of the setting is the number of mL of product being applied per litre of water. Please refer to the DIAL-A-SPRAY Label and Pamphlet for use and cleaning instructions.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not allow others such as children and pets on treatment area during application or to re-enter treated areas until spray has dried. Never handle material with bare hands. Wear rubber gloves when handling this product. Wash hands, face and arms thoroughly with soap and water after handling and before drinking, eating or using tobacco. Do not breathe spray mist (dust). When handling or applying, wear goggles and clothing that completely covers arms and legs to minimize exposure. Remove contaminated clothing and wash before use. If an accident occurs, remove contaminated clothing immediately, and wash contaminated skin thoroughly with soap and water. Wash clothing and gloves before re-use. Always work out of the wind when handling, or applying treatments. Keep unprotected persons out of operating area or vicinity where there may be drift.

Thoroughly wash treated fruits and vegetables prior to eating.

#### FIRST AID:

In case of poisoning, call a physician or Poison Control Centre immediately. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control centre or doctor for treatment advice. IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take

container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION:

This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison control centre. Atropine is antidotal.

#### ENVIRONMENTAL HAZARDS:

TOXIC to birds and aquatic organisms.

#### DECONTAMINATION AND DISPOSAL:

Do not reuse container. Wrap empty container with newspaper and discard in household garbage.

#### STORAGE:

Do not contaminate water, food, or feed by storage or disposal. Keep in original container during storage. Isomalathion, a toxic metabolite of malathion forms when malathion product is stored at elevated temperatures or for extended periods of time. Malathion product must be stored in a cool (< 20-23° C), dry, well ventilated place away from seed, fertilizer or other pesticides and for no longer than one year.

#### NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.