

2023-2507
2023-08-18

This label has been updated according to the re-evaluation decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 09-02-2024 in accordance with the phase out period set out in the re-evaluation/special review decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2507
2023-08-18

PRO[®]
PROFESSIONAL ANT AND ROACH PYRODUST

INSECTICIDE FOR HOME AND GARDEN

For indoor use at buildings to kill ants, bed bugs, boxelder bugs, cockroaches, crickets, earwigs, fleas, silverfish, sowbugs and spiders.

For use on outdoor ornamental plants to kill aphids, leafhoppers, leafrollers and thrips.

READY TO USE

DOMESTIC

REG. NO. 13074 P.C.P. ACT

ACTIVE INGREDIENTS:

Pyrethrins	0.2%
Piperonyl Butoxide	1.0%

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

200 g – 600 g

PREMIER TECH BRIGHTON LTD.
1 avenue Premier
Rivière-du-Loup QC G5R 6C1
1-844-475-1262

2023-2507

2023-08-18

PRO[®] Professional Ant and Roach Pyrodust is made from an African flower (*Chrysanthemum cinerariaefolium*).

Effective against ants, bed bugs, boxelder bugs, cockroaches, crickets, earwigs, fleas, silverfish, sowbugs and spiders inside buildings, and against aphids, leafhoppers, leafrollers and thrips on outdoor ornamental plants.

DIRECTIONS FOR USE:

To enhance effectiveness of this product, apply directly to the listed pests where possible. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. When applied indoors, good sanitary practices should be maintained to prevent re-infestation. For all uses on this label, **DO NOT** exceed 25 g per m².

INDOOR USE AT BUILDINGS:

Apply as a crack and crevice, perimeter, spot or furniture (pet bedding, mattresses, box springs and bed frames only) treatment only. **DO NOT APPLY AS A BROADCAST TREATMENT.** Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Perimeter application is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. Furniture treatment: *broadcast application* covers large areas of the entire surface of items; *crack and crevice treatments* are applications to junction points on items; *spot application* is up to 10% of the surface of the item; and *tuft and/or seam treatment* (mattresses only) is to the junction of two or more pieces of fabric and any decorative trim (e.g., buttons).

To kill ants, boxelder bugs, cockroaches, crickets, earwigs, silverfish, sowbugs and spiders:

Lightly coat indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards; walls behind and floors beneath applications (e.g., refrigerators and stoves) and furniture (e.g., built-ins, storage cabinets, medicine cabinets); around sinks, drains and pipes; localized areas around garbage cans; and in electrical outlet boxes.

To kill bed bugs: Remove bedding before treating mattress. **DO NOT** use on items which can be laundered (e.g., pillows, bedding, etc.). Thoroughly dust both sides of mattress, particularly around tufts and seams. Take bed apart and thoroughly dust the bed frame, springs and all joints. Also lightly coat indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards and mouldings; and localized areas of walls behind and floors beneath furniture (e.g., bed and nightstand).

To kill fleas: **DO NOT** apply to furniture (with the exception of pet bedding), mattresses, linens, toys or clothing. Thoroughly dust indoor building surfaces, including cracks and crevices in walls and floors; along and behind baseboards; window and door frames; and localized areas of floors and floor coverings. Pet bedding may be entirely treated with this product or replaced with clean, fresh bedding after other listed areas are treated. **DO NOT DUST PETS WITH THIS PRODUCT.** Only treat pets with products specifically registered for use on that type of pet. For effective flea

2023-2507
2023-08-18

control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.

Indoor Use Limitations: DO NOT apply when people or pets are present. **DO NOT** allow people or pets to enter treated areas until dusts have settled. **DO NOT** allow dust to deposit onto non-target surfaces. **DO NOT** apply to overhead areas or in confined spaces (e.g., attics, crawlspaces, small storage rooms, closets). Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.

OUTDOOR USE ON ORNAMENTAL PLANTS:

To kill aphids, leafhoppers, leafrollers and thrips on ornamental plants: Lightly apply the insecticide dust when plants are dew covered or previously moistened with a spray of water. Apply only when listed pests are a problem or when they first appear. Thoroughly cover all foliage, including upper and lower leaf surfaces. Apply in early morning or evening – not in direct sunlight and when air is still. Apply dust only when air is still and temperature is below 32°C. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

Outdoor Use Limitations: DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs). Avoid application of this product when winds are gusty.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with this product must be discarded. **DO NOT** use near fish ponds or aquariums. Avoid inhalation of the dust. Wash hands and other exposed skin after handling.

ENVIRONMENTAL PRECAUTIONS: Toxic to aquatic organisms. **DO NOT** apply to any body of water. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2023-2507

2023-08-18

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Treat symptomatically.

STORAGE: Store this product away from food or feed.

DISPOSAL: DO NOT reuse the empty container. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.