

2015-12-23

2015-1992

FRONT LABEL

Tanglefoot Logo

Tanglefoot Bird Repellent

DOMESTIC

Guarantee: Polybutenes 97%

READ LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG.NO. 15825 P.C.P. ACT

Sticky compound for repelling pigeons, starlings and sparrows from buildings and adjacent structures, window sills, eaves, ledges, roof lines, gutter edges and other roosting places.

Scotts Canada Ltd.
Suite 300, 2000 Argentinia Rd
Plaza 2
Mississauga ON L5N 1V8
1-800-668-5669

NET CONTENTS 283g

BACK LABEL

TANGLEFOOT BIRD REPELLENT is a clear, non-drying compound. When properly applied, it discourages birds from roosting. It adheres to all surfaces and retains a soft, sticky elasticity.

DIRECTIONS: Wear chemical-resistant gloves when handling. Apply to clean, dry surfaces. Clean surface to be treated to assure adhesion. On porous or absorbent surfaces, apply an undercoating such as paint or sealer. For prompt removal, apply over waterproof masking tape or similar material. Cut cartridge tip on angle at line marked 6mm. On ledges, apply a line with a width of 10 – 12mm. Do not make wider lines. Apply a line 2.5cm from the outer edge of ledge. On wide ledges, make several lines 5 to 8 cm apart or 2 lines joined by “S” shaped lines. Leave gaps for water drainage. Will treat approximately 3 meters.

REMOVAL: Tanglefoot Bird Repellent can be removed with mineral spirits or cleaning solvents.

PRECAUTIONS: KEEP IN ORIGINAL CONTAINER AWAY FROM CHILDREN AND PETS. SMALL BIRDS MAY BECOME FATALLY ENTRAPPED BY THIS TACKY REPELLENT. TO REDUCE HAZARDS TO LEGALLY PROTECTED SPECIES, FOLLOW ALL INSTRUCTIONS IN THE DIRECTIONS FOR USE. STORE IN WARM LOCATION PRIOR TO USE.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Test symptomatically.

DISPOSAL: Do not reuse empty container. Securely wrap and place empty container in garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.