

2015-0036

2015-04-15

NALCO 7330 Slimicide

**COOLING WATER, INDUSTRIAL PROCESS WATER AND BREWERY
PASTEURIZER**

SLIMICIDE

MICROBIOLOGICAL CONTROL CHEMICAL

SOLUTION

COMMERCIAL

WARNING

[corrosive symbol within a diamond]

CORROSIVE

WARNING - CORROSIVE TO EYES & SKIN

POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING

REGISTRATION NO.: 17338
PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

5-Chloro-2-Methyl-4-Isothiazolin-3-one1.1%

2-Methyl-4-Isothiazolin-3-one.....0.4%

Net Contents:

Nalco Canada ULC
1055 Truman Street, PO Box 5002
Burlington ON, Canada L7R 3Y9
905 632-8791

**PHONE IN CASE OF EMERGENCY:
CANADA 1-800-463-3216 (24 HOURS)
CANUTEC: 1-613-996-6666 (24 HOURS)**

DIRECTIONS FOR USE:

For the uses below, this product may be used in food plants or other industrial sites.

RECIRCULATING COOLING WATER, INDUSTRIAL PROCESS WATER SYSTEMS

For control of micro-organisms, use 100 to 150 mg/L (ppm) of Nalco 7330 Slimicide slug fed once or twice per week. Repeat as needed to obtain control.

Once control has been established, slug feed once per week 35 to 100 mg/L (ppm) of Nalco 7330 Slimicide based on system's volume to maintain control. Do not mix as a concentrated product with strong oxidizing agents. Do not use in potable water systems.

BREWERY PASTEURIZERS

For the control of bacteria, algae, and fungi, add this product at a point in the system to insure uniform mixing. After use of this product, employ a thorough rinse cycle with fresh potable water.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm of this product (1.48 to 8.83 kg or 1.45 to 8.65 L of this product per 10 tonnes of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm of this product (0.35 to 2.19 kg or 0.343 to 2.15 L of this product per 10 tonnes of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

METAL WORKING FLUIDS

For control of microbiological growth, the Nalco 7330 Slimicide dosage levels typically range from 100 to 200 ppm. Nalco 7330 Slimicide is to be added to the central storage facility for the cutting fluid using an approved Nalco biocide feed system.

PRECAUTIONS:

WARNING. KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. POTENTIAL SKIN SENSITIZER. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapours and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse. Wear long pants, a long sleeve shirt, chemical-resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up, and repair. Avoid using chemical in confined space. Avoid contamination of food.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

FIRST AID:

If on skin or clothing take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Undiluted product could be fatal if swallowed. Give patient repeated glasses of water and contact physician or poison control centre. NOTE TO PHYSICIAN.

Probable mucosal damage may contraindicate the use of gastric lavage.

Measures against circulatory shock, respiratory depression and convulsions may be needed.

DISPOSAL:

Porta-Feed System: 1. Close valve. 2. Arrange for return of Porta-Feed.

For Other Containers: 1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instructions for any required

additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Lot No.:

TDG Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(ISOTHIAZOLINONE MICROBIOCIDE), Class 8, UN3265, PGII