

POLYPREP 774-477**preservative**

IDEAL FOR END CUTS

exterior

protects wood against mildew and rot

DOMESTIC

READ THE LABEL BEFORE USING

DANGER POISON**WARNING EYE AND SKIN IRRITANT****POTENTIAL SKIN SENSITIZER**

GUARANTEE: COPPER AS ELEMENTAL (PRESENT AS COPPER NAPHTHENATE) 2%

REG. NO.: 15013 P.C.P. ACT

FOR EXTERIOR USE ONLY • NOT FOR USE IN DWELLINGS**KEEP OUT OF REACH OF CHILDREN****PPG ARCHITECTURAL COATINGS CANADA INC. 2505 DE LA MÉTROPOLE, LONGUEUIL
(QUÉBEC) J4G 1E5, 1 800 463-7426****774-477****green**NET CONTENTS **3.78 L or 946 mL**

Polyprep® Exterior Wood Preservative – Green 774-477 **PROTECTS AGAINST ROT, SWELLING AND WARPING. For exterior use only.** Not for use in dwellings. For above ground use only. Wood structures, beams, doors, sashes, steps, posts, etc. **APPLICATION: Apply by brush only. Do not spray or dip.** Do not use the preservative or treated wood when copper naphthenate may contaminate food, feed or drinking water. Wood surface to be treated must be dry and clean. Remove oil, grease, dirt, paint, varnish, wax or any other coating that may prevent penetration. Allow to dry thoroughly before painting or recoating (**minimum 48 hours**). Use caution with some paint finishes, as they may cause bleeding. Use as supplied – do not dilute. Do not apply to wood or any surface where prolonged skin contact may occur. May be used on greenhouse and garden timbers in close contact with non-food producing plants only. Carrier solvent must be allowed to dry before introducing plants to prevent phytotoxicity. Clean equipment (brushes, trays, etc.) with mineral spirits, then with detergent and water.

SPREADING RATE:

1 litre covers about 6 to 8 square metres (70 to 90 sq. ft.). Varies according to the texture and porosity of the surface.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. HARMFUL OR FATAL IF SWALLOWED. FLAMMABLE. DO NOT USE OR STORE NEAR OPEN FLAME OR SPARK OR IN AREAS SUBJECT TO EXCESSIVE HEAT. HARMFUL IF SWALLOWED OR INHALED. WASH THOROUGHLY AFTER USE WITH SOAP AND WATER BEFORE EATING OR SMOKING. KEEP CONTAINER CLOSED WHEN NOT IN USE. CAUSES SKIN AND EYE IRRITATION. POTENTIAL SKIN SENSITIZER. AVOID, BREATHING VAPOURS, CONTACT WITH SKIN, EYES AND CLOTHING. WEAR A LONG-SLEEVED SHIRT, LONG PANTS, SOCKS, SHOES, AND RUBBER GLOVES WHEN APPLYING THIS PRODUCT. DO NOT CONTAMINATE IRRIGATION OR DRINKING WATER SUPPLIES OR AQUATIC HABITATS BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

CONTAINS AROMATIC PETROLEUM DISTILLATES AND COPPER NAPHTHENATE.
TREAT AS FOR INGESTION OF KEROSENE.

DISPOSAL AND STORAGE:

Do not reuse empty container. Dispose of empty container in household trash. Store unused product out of reach of children or animals. Do not store in areas subject to excessive heat.

FOR MORE DETAILS, REFER TO THE TECHNICAL DATA SHEET.