

2017-6354
2018-03-12

SAFER'S Insecticide Soap Concentrate

COMMERCIAL
AGRICULTURAL

FOR CONTROL OF APHIDS, MEALYBUGS, SPIDER MITES, WHITEFLY,
SOFT BROWN SCALE, PSYLLIDS, ROSE OR PEAR SLUGS, EARWIGS
AND ELM LEAFMINER ON VEGETABLES, FRUITS, SHRUBS, TREES OR
GREENHOUSE PLANTINGS.

MAY BE APPLIED TO EDIBLES UP TO DAY OF HARVEST

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: POTASSIUM SALTS OF FATTY ACIDS ... 50.50%
REGISTRATION NUMBER 14669 PEST CONTROL PRODUCTS ACT
NET CONTENTS 10 LITRES

Woodstream Canada Corporation
Unit 1,
25 Bramtree Court
Brampton, ON L6S 6G2
Tel:(800) 800-1819

DIRECTIONS: Mix fresh solution. Made of selected fatty acids that kill insects on contact. Insects must be sprayed directly to achieve proper control. For whitefly use one part concentrate to 100 parts water. Spray all plant surfaces thoroughly at 2 week intervals. For other pests use one part concentrate to 50 parts water. For aphids and mealybugs repeat application as required. For spider mites apply once weekly for 2-3 weeks. For pear psylla in pear orchards apply 25 litres of product in 2475 litres of water per hectare (1:100 dilution). Apply when insects occur and repeat as needed. For elm leafminer make several applications late May to mid June using a 1% solution. Apply 5-10 litres per tree 3-4 days apart. Contact regional Canadian Forestry Service officials for more information on timing and spray application. Greenhouse Pepper Aphids: Use 2.0 litres product per 100 litres of water applying 250 litres of spray mixture per 4000 m² of greenhouse area. Make applications bi-monthly or when aphids reach treatment levels using concentrated high volume power sprayers.- May be used on edible crops up to and including day of harvest.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Concentrated soap may cause eye irritation. Avoid eye contact. Do not use on sweetpeas, nasturtiums or delicate ferns. Wash fruits and vegetables before using. If the pest control product is to be used on a commodity that may be exported and you require information regarding Maximum Residue Limits for an importing country, please contact Woodstream Canada Corporation. DO NOT APPLY BY AIR.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic organisms. Do not allow waste water, effluent or runoff containing this product to enter lakes, streams, ponds or other waters.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Product Act to use this product in a way that is inconsistent with the directions on the label.

The active ingredients in this product are specially selected fatty acids. No other pesticides are added.

DISPOSAL:

Do not reuse empty container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or

municipality for the location of the nearest collection site. Before taking container to collection site:

1. Triple-or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further uses.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted products, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

Note to user: Read the following before using this product for the indicated special use applications:

The Directions for use for this product for the use(s) described on this below were developed by persons other than Woodstream Canada Corporation and accepted for registration by Health Canada under the User Requested Minor Use Label Expansion program. Woodstream Canada Corporation itself makes no representation or warranty with respect to performance (efficacy) or crop tolerance (phytotoxicity) claims for this product when used on the use sites listed on this Label.

Accordingly, the Buyer and User assume all risks related to performance and crop tolerance arising, and agree to hold Woodstream Canada Corporation harmless from any claims based on efficacy or phytotoxicity in connection with the use(s) described on this Label.

Greenhouse-Produced Sweet Potato Slips:

For the Control of *Whiteflies*, use 1.0 litres product per 100 litres of water applying 250 litres of spray mixture per 4000 m² of greenhouse area. Begin treatment at the first appearance of the target pest. Re-apply every 14 days. A maximum of 6 applications may be made per crop cycle. May be used on edible crops up to and including day of harvest.

For the Control of *Aphids*, use 2.0 litres product per 100 litres of water applying 250 litres of spray mixture per 4000 m² of greenhouse area. Begin treatment at the first appearance of the target pest. Re-apply every 14 days. A maximum of 6 applications may be made per crop cycle. May be used on edible crops up to and including day of harvest.

For the Control of *Spider mites*, use 2.0 litres product per 100 litres of water applying 250 litres of spray mixture per 4000 m² of greenhouse area. Begin treatment at the first appearance of the target pest. Re-apply every 7 days. A maximum of 6 applications may be made per crop cycle. May be used on edible crops up to and including day of harvest.