

2023-1679
23-08-03

AQUCAR™ GA 50 MUP Water Treatment Microbiocide

SOLUTION

FOR USE BY MANUFACTURERS IN FORMULATING INDUSTRIAL BACTERICIDES, PRESERVATIVES AND SANITIZERS. FORMULATORS USING THIS PRODUCT ARE RESPONSIBLE FOR PROVIDING DATA TO THE APPROPRIATE AUTHORITY FOR REGISTRATION OF THEIR FORMULATED PRODUCT(S).

ACTIVE INGREDIENT:

Glutaraldehyde... 50.0%

REGISTRATION NO. 18982
PEST CONTROL PRODUCTS ACT

FOR MANUFACTURING, FORMULATING OR REPACKAGING

DANGER

POISON {Poison Logo}

POTENTIAL SKIN AND RESPIRATORY TRACT SENSITIZER

CORROSIVE TO EYES AND SKIN {Corrosive Logo}

READ THE LABEL BEFORE USING

LANXESS Corporation
111 RIDC Park West Drive
Pittsburgh, PA 15275-1112
1-800-LANXESS

©2023 LANXESS. [AQUCAR™ GA 50 MUP Water Treatment Microbiocide], LANXESS and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries in the world.

EMERGENCY TELEPHONE NUMBERS **TRANSPORTATION EMERGENCIES ONLY:**

CANUTEC (Canada): 1-613-996-6666
CHEMTREC: 1-800-424-9300 (USA); 1-703-527-3887 (International)

ALL OTHER EMERGENCIES:

2023-1679
23-08-03

LANXESS: 1-800-410-3063 (USA); 1-866-673-6350 (Canada)

2023-1679

23-08-03

2021-1708

2021-06-29

Net contents:

Made in USA

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES SKIN BURNS. HARMFUL IF INHALED. HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS. CAUSES ASTHMATIC SIGNS AND SYMPTOMS IN INDIVIDUALS WITH HYPER-REACTIVE AIRWAYS DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT INHALE FUMES OR VAPOR. DO NOT SWALLOW.

When handling the concentrate and during cleaning, maintenance and repair activities on contaminated equipment, wear goggles and face shield, chemical resistant gloves, protective clothing (i.e., long sleeve shirt, long pants and apron) and boots. Wash thoroughly with soap and water after handling. Use only in well ventilated area. Remove contaminated clothing and shoes and wash them before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor immediately for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2021-1708

2023-1679

23-08-03

2021-06-29

TOXICOLOGICAL INFORMATION

This product is a potential sensitizer of the respiratory tract. Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

STORAGE AND HANDLING

AQUCAR TM GA 50 MUP Water Treatment Microbiocide solutions are incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about - 21°C. Therefore, unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 38°C can be tolerated but the preferred maximum storage temperature is about 27°C.

A stainless steel centrifugal pump is suggested for transfer service. Spiral wound stainless steel with TEFLON® is suitable for gaskets and packing.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE

To be used only in the manufacture of a pest control product which is registered under the Pest Control Products Act.

2023-1679
23-08-03