

23-FEB-2011
2010-5127

Raid®

Flying Insect Bug Killer

PRESSURIZED SPRAY / DOMESTIC

350g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING

S.C. JOHNSON
A FAMILY COMPANY (logo)

GUARANTEE: d-cis, trans Allethrin 0.15%, Tetramethrin 0.067%, Piperonyl Butoxide 0.97%,
N-Octyl Bicycloheptene Dicarboximide 1.00%. REG. NO. 16063 P.C.P. ACT.

Questions? Comments? Call 800-558-5566 or write Helen Johnson.

®Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. Auth'd user

S.C. JOHNSON AND SON, LIMITED, 1 Webster, Brantford, ON, CANADA N3T 5R1

www.BugSmart.ca

Non-staining, non-flammable. Kills on contact flying insects such as flies, mosquitoes, flying moths, gnats. Insects must be hit by spray to be killed.

DIRECTIONS FOR USE: Shake before using. **FOR INDOOR USE:** Close all doors and windows. Spray into the air with sweeping motion, keeping about 1 m from interior walls, fabrics and furniture. Keep room closed for 15 minutes. Ventilate sealed areas after treatment. About 12 seconds of spraying clears an average size room (28 cubic metres).

FOR OUTDOOR USE: For the garden, spray with slow sweeping motion directed toward bushes and grass from 30 cm to 45 cm away. Avoid wetting. A light spray kills pests effectively. Spray only when air is still and temperature is under 32°C. Read and follow precautions. Repeat spraying as often as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Cover fish bowls and remove animals for one hour when spraying rooms in the home, lawn or garden area, barn or stable. Avoid inhalation. Cover food and food utensils. Do not spray directly on skin or animals. Use with caution around young plants and new growth inside or outside. KEEP FROM FREEZING. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves, or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When empty, press button to release pressure. Wrap and dispose of in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.